Datasheet: STAR4010TR BATCH NUMBER 158470

Description:	GOAT ANTI RABBIT IgG/IgM:Texas Red® (HUMAN ADSORBED)
Specificity:	IgG IgM
Format:	Texas Red®
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal				
	•		•	·	
	communications from	the originators. Pleas	e refer to references in	dicated for further	
	information. For general protocol recommendations, please visit <u>www.bio-</u>				
	rad-antibodies.com/pro	otocols.			
		Yes No	Not Determined	Suggested Dilution	
	Flow Cytometry	•			
	Immunohistology - Froze	en			
	Immunohistology - Paraf	fin •			
		-		1/100 - 1/400	
	FLISA	-		1,100 1,100	
			use in a particular tech		
	Where this product ha	s not been tested for	use in a particular tech res. Suggested working	inique this does not	
	Where this product ha necessarily exclude its	s not been tested for s use in such procedu	res. Suggested working	nique this does not g dilutions are given as	
	Where this product han necessarily exclude its a guide only. It is reco	s not been tested for s use in such procedu mmended that the us	res. Suggested working er titrates the product f	nique this does not g dilutions are given as	
	Where this product ha necessarily exclude its	s not been tested for s use in such procedu mmended that the us	res. Suggested working er titrates the product f	nique this does not g dilutions are given as	
Target Species	Where this product han necessarily exclude its a guide only. It is reco	s not been tested for s use in such procedu mmended that the us	res. Suggested working er titrates the product f	nique this does not g dilutions are given as	
Target Species	Where this product han necessarily exclude its a guide only. It is reconsystem using appropri	s not been tested for s use in such procedu mmended that the us	res. Suggested working er titrates the product f	nique this does not g dilutions are given as	
Species Cross	Where this product han necessarily exclude its a guide only. It is reconsystem using appropri	s not been tested for s use in such procedu mmended that the us ate negative/positive	res. Suggested working er titrates the product f	nique this does not g dilutions are given as	
Species Cross Reactivity	Where this product ha necessarily exclude its a guide only. It is reco system using appropri Rabbit	s not been tested for s use in such procedu mmended that the us ate negative/positive	res. Suggested working er titrates the product for controls.	nique this does not g dilutions are given a	
Target Species Species Cross Reactivity Product Form Max Ex/Em	Where this product ha necessarily exclude its a guide only. It is reco system using appropri Rabbit Does not react with:He	s not been tested for s use in such procedu mmended that the us ate negative/positive uman ed to Texas Red® - lic	res. Suggested working er titrates the product for controls.	nique this does not g dilutions are given as	

ntiserum Preparation Antisera to rabbit IgG and IgM were raised by repeated immunizations of goats with normal rabbit IgG and IgM.

The Ig fraction was purified by affinity chromatography on pooled rabbit IgG and IgM covalently linked to agarose.

The preparation has been cross absorbed with pooled human sera and purified human paraproteins to remove any potential cross reactivity.

Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)			
Immunogen	Normal rabbit IgG + IgM.			
External Databa Links	se UniProt:			
LIIIKS	P01780 Related reagents			
	P03988 Related reagents			
	P04221 Related reagents			
Specificity	Goat anti Rabbit IgG/IgM antibody reacts with the heavy and light chains of rabbit IgG and IgM and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry.			
References	 Campos-ordonez, T. <i>et al.</i> (2019) Cyclohexane Inhalation Produces Long-Lasting Alterations in the Hippocampal Integrity and Reward-Seeking Behavior in the Adult Mouse. <u>Cell Mol Neurobiol. Feb 15 [Epub ahead of print].</u> Iver, S. <i>et al.</i> (2019) Probing BAK and BAX Activation and Pore Assembly with Cytochrome c Release, Limited Proteolysis, and Oxidant-Induced Linkage. <u>Methods N Biol. 1877: 201-16.</u> 			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and stor -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.			
Guarantee	Guaranteed until date of expiry. Please see product label.			
Acknowledgeme	nts Texas Red [®] is a registered trademark of Molecular Probes, Inc			
Health And Safe Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR4010TR 10040			
Regulatory	For research purposes only			
erica Fax: +1	00 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 019 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 tibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com			

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387158:210615'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint