

Datasheet: STAR71D550

## **BATCH NUMBER 152507**

Description:	GOAT ANTI RAT IgG:DyLight®550 (MOUSE ADSORBED)		
Specificity:	IgG (MOUSE ADSORBED)		
Format:	DyLight®550		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.1 mg		

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50 - 1/400
Western Blotting	•			1/5000 - 1/25,000
Immunofluorescence	-			1/50 - 1/400

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Rat		
Purified IgG conjugate	ed to DyLight <sup>®</sup> 550 - lic	juid
Fluorophore	Excitation Max (nm)	Emission Max (nm)
Dylight®550	562	576
	Purified IgG conjugate	Purified IgG conjugated to DyLight®550 - lice  Fluorophore Excitation Max (nm)

**Antiserum Preparation** Antisera to rat IgG were raised by repeated immunisation of goats with highly purified antigen. Purified IgG prepared by affinity chromatography

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Rat IgG.				
External Database Links	UniProt:				
	P20759 Related reagents				
	P20762 Related reagents				
	P20761 Related reagents				
	P20760 Related reagents				
	Entrez Gene:				
	299354 Ighg Related reagents				
	362795 LOC362795 Related reagents				
	679045 LOC679045 Related reagents				
Specificity	Goat anti Rat IgG (Mouse Adsorbed) antibody recognizes rat IgG. Cross-reactivity with mouse IgG has been minimised by adsorption.				
Flow Cytometry	Use 50ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.				
References	<ol> <li>Yang, X. et al. (2010) The role of the JAK2-STAT3 pathway in pro-inflammatory responses of EMF-stimulated N9 microglial cells. J Neuroinflammation. 7: 54.</li> <li>Tamayo, J. et al. (2001) Chemical sensors and biosensors in liquid environment based on microcantilevers with amplified quality factor. Ultramicroscopy. 86: 167-73.</li> <li>Pérez-Bosque A et al. (2004) Dietary plasma protein affects the immune response of weaned rats challenged with S. aureus Superantigen B. J Nutr. 134: 2667-72.</li> <li>Balan, P. et al. (2010) Immunomodulatory effects of ovine serum immunoglobulin in the growing rat. Animal. 4: 1702-8.</li> <li>Tulinská, J. et al. (2018) Humoral and cellular immune response in Wistar Han RCC rats fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). Arch Toxicol. 92 (7): 2385-99.</li> </ol>				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of despatch				
Acknowledgements	DyLight <sup>®</sup> is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/STAR71D550">https://www.bio-rad-antibodies.com/SDS/STAR71D550</a> 10040				
Regulatory	For research purposes only				

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 To Email: antibody\_sales\_us@bio-rad.com Email: antibody\_sales\_de@bio-rad.com Email: antibody\_sales\_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M398797:220624'

## Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint