

Datasheet: STAR79B

Description:	GOAT ANTI HAMSTER IgG:Biotin
Specificity:	IgG
Format:	Biotin
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.8 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/50
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/1000 - 1/5000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Hamster
-----------------------	---------

Product Form	Purified IgG conjugated to Biotin - liquid
---------------------	--

Antiserum Preparation Antisera to hamster IgG were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
------------------------	---------------------------

Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin
---------------------------------	---

Approx. Protein Concentrations	IgG concentration 0.8 mg/ml
---------------------------------------	-----------------------------

Immunogen	Hamster IgG.
------------------	--------------

RRID AB_322704

Specificity **Goat anti Hamster IgG antibody** recognizes Golden Syrian and Armenian hamster IgG (H+L) and has been adsorbed against both mouse and rat immunoglobulins to minimise cross-reactivity.

Flow Cytometry Use 50ul of the suggested working dilution to label 10^6 cells in 100ul.

- References**
1. Samant, M. *et al.* (2009) Immunization with the DNA-encoding N-terminal domain of proteophosphoglycan of *Leishmania donovani* generates Th1-type immunoprotective response against experimental visceral leishmaniasis. [J Immunol. 183: 470-9.](#)
 2. Moore, G.T. *et al.* (2008) Glycosylation changes in hFUT1 transgenic mice increase TCR signaling and apoptosis resulting in thymocyte maturation arrest. [Mol Immunol. 45: 2401-10.](#)
 3. Forster, K.M. *et al.* (2015) DNA prime-protein boost based vaccination with a conserved region of leptospiral immunoglobulin-like A and B proteins enhances protection against leptospirosis. [Mem Inst Oswaldo Cruz. 110 \(8\): 989-95.](#)
 4. Verma R *et al.* (2015) Cross reactive molecules of human lymphatic filaria *Brugia malayi* inhibit *Leishmania donovani* infection in hamsters. [Acta Trop. 152: 103-11.](#)
 5. Wiśniewski, M. *et al.* (2016) Hamsters vaccinated with Ace-mep-7 DNA vaccine produced protective immunity against *Ancylostoma ceylanicum* infection. [Exp Parasitol. 163: 1-7.](#)
 6. Bacelo, K.L. *et al.* (2014) Xanthan gum as an adjuvant in a subunit vaccine preparation against leptospirosis. [Biomed Res Int. 2014: 636491.](#)
 7. Verma, R. *et al.* (2018) *Leishmania donovani*. molecules recognized by sera of filaria infected host facilitate filarial infection. [Parasitol Res. 117 \(9\): 2901-12.](#)
 8. Spitzova, T. *et al.* (2020) Interactions between host biogenic amines and sand fly salivary yellow-related proteins. [Parasit Vectors. 13 \(1\): 237.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at $2-8^{\circ}\text{C}$ for short term use (up to 4 weeks) and store the remaining aliquots at -20°C .

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/STAR79B>
10041

Regulatory For research purposes only

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M381962:210512'

Printed on 25 Mar 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)