

Datasheet: STAR86

BATCH NUMBER 160620

Description:	GOAT ANTI MOUSE IgM
Specificity:	IgM
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			5ug/ml as coating antibody
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Antiserum Preparation	Antisera to mouse IgM were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Mouse IgM mu heavy chain.
External Database Links	<p>UniProt:</p> <p>P01872 Related reagents</p> <p>P01873 Related reagents</p> <p>Entrez Gene:</p> <p>16019 Ighm Related reagents</p> <p>16019 Ighm Related reagents</p>
RRID	AB_321863
Specificity	Goat anti Mouse IgM antibody recognizes murine IgM and is cross-adsorbed to reduce reactivity with other mouse heavy or light chains.
References	<ol style="list-style-type: none"> 1. Yan, Y. <i>et al.</i> (2003) Pathogenesis of autoimmunity after xenogeneic thymus transplantation. J Immunol. 170 (12): 5936-46. 2. Lehours, P. <i>et al.</i> (2009) Is there a link between the lipopolysaccharide of <i>Helicobacter pylori</i> gastric MALT lymphoma associated strains and lymphoma pathogenesis? PLoS One. 4: e7297. 3. Skoglund, A. <i>et al.</i> (2012) A changing gastric environment leads to adaptation of lipopolysaccharide variants in <i>Helicobacter pylori</i> populations during colonization. PLoS One. 4: e5885. 4. Fish, J.E. <i>et al.</i> (2005) The expression of endothelial nitric-oxide synthase is controlled by a cell-specific histone code. J Biol Chem. 280: 24824-38. 5. Schweighoffer, E. <i>et al.</i> (2013) The BAFF receptor transduces survival signals by co-opting the B cell receptor signaling pathway. Immunity. 38: 475-88.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR8610040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M382030:210512'

Printed on 13 Mar 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)