

Datasheet: STAR86 BATCH NUMBER 168052

Description:	scription: GOAT ANTI MOUSE IgM	
Specificity:	IgM	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	-			5ug/ml as coating antibody
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to mouse IgM were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Mouse IgM mu heavy chain.				
External Database	UniProt:				
LINKS	P01872 Related reagents				
	P01873 Related reagents				
	<u>F01075</u> Related reagents				
	Entrez Gene:				
	16019 Ighm Related reagents				
	16019 Ighm Related reagents				
RRID	AB_321863				
Specificity	Goat anti Mouse IgM antibody recognizes murine IgM and is cross-adsorbed to reduce reactivity with other mouse heavy or light chains.				
References	1. Yan, Y. <i>et al.</i> (2003) Pathogenesis of autoimmunity after xenogeneic thymus transplantation. <u>J Immunol. 170 (12): 5936-46.</u>				
	2. Fish, J.E. <i>et al.</i> (2005) The expression of endothelial nitric-oxide synthase is controlled by a cell-specific histone code. <u>J Biol Chem. 280: 24824-38.</u>				
	3. Lehours, P. <i>et al.</i> (2009) Is there a link between the lipopolysaccharide of Helicobacter				
	pylori gastric MALT lymphoma associated strains and lymphoma pathogenesis? PLoS				
	One. 4: e7297.				
	4. Skoglund, A. et al. (2012) A changing gastric environment leads to adaptation of				
	lipopolysaccharide variants in <i>Helicobacter pylori</i> populations during colonization. <u>PLoS</u> One. 4: e5885.				
	5. Schweighoffer, E. <i>et al.</i> (2013) The BAFF receptor transduces survival signals by				
	co-opting the B cell receptor signaling pathway. <u>Immunity. 38: 475-88.</u>				
	6. Vanderstock, J.M. et al. (2018) Phagocytosis, bacterial killing, and cytokine activation of				
	circulating blood neutrophils in horses with severe equine asthma and control horses. Am J Vet Res. 79 (4): 455-64.				
	7. Joshi, D. <i>et al.</i> (2021) Novel ablative laser mediated transdermal immunization for				
	microparticulate measles vaccine. Int J Pharm. 606: 120882.				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated fracting and thewing as this may denoture the antihody. Storage in				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/STAR86 10040				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\label{lem:lemail:antibody_sales_uk@bio-rad.com} \\ Email: antibody_sales_uk@bio-rad.com \\ Email: antibody_sales_uk@bio-rad.com \\ \\ Email: antibody_sales_de@bio-rad.com \\ \\ \\ Email: antibody_s$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428765:240301'

Printed on 13 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint