

Datasheet: STAR86P BATCH NUMBER 160621

Description:	GOAT ANTI MOUSE IgM:HRP
Specificity:	IgM
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	-			
Immunohistology - Paraffin	-			1/50
ELISA	-			1/1000
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liq	uid
Antiserum Preparation	Antisera to mouse IgM were raised by repeated immunisation antigen. Purified IgG was prepared by affinity chromatography	• • • • • • • • • • • • • • • • • • • •
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.01% Thiomersal	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Mouse IgM mu heavy chain.	

External Database Links	UniProt: P01872 Related reagents P01873 Related reagents Entrez Gene: 16019 Ighm Related reagents 16019 Ighm Related reagents			
RRID	AB_321866			
Specificity	Goat anti Mouse IgM antibody recognizes murine IgM and is cross-adsorbed to reduce reactivity with other mouse heavy or light chains.			
References	 Yan, Y. et al. (2003) Pathogenesis of autoimmunity after xenogeneic thymus transplantation. J Immunol. 170 (12): 5936-46. Lehours, P. et al. (2009) Is there a link between the lipopolysaccharide of Helicobacter pylori gastric MALT lymphoma associated strains and lymphoma pathogenesis? PLoS One. 4: e7297. Skoglund, A. et al. (2012) A changing gastric environment leads to adaptation of lipopolysaccharide variants in Helicobacter pylori populations during colonization. PLoS One. 4: e5885. Fish, J.E. et al. (2005) The expression of endothelial nitric-oxide synthase is controlled by a cell-specific histone code. J Biol Chem. 280: 24824-38. Schweighoffer, E. et al. (2013) The BAFF receptor transduces survival signals by co-opting the B cell receptor signaling pathway. Immunity. 38: 475-88. 			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10094 available at: https://www.bio-rad-antibodies.com/SDS/STAR86P 10094			
Regulatory	For research purposes only			

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A)
AbGUARD® HRP STABILIZER PLUS (BUF052B)
AbGUARD® HRP STABILIZER PLUS (BUF052C)

TMB CORE (BUF056A)
TMB CORE+ (BUF062A)
TMB SIGNAL+ (BUF054A)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387926:210729'

Printed on 13 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint