

Datasheet: STAR97

Description:	ption: GOAT F(ab')2 ANTI HUMAN IgG		
Specificity:	IgG (H/L)		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.8 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	-			
Immunohistology - Paraffin			•	
ELISA	•			
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	F(ab') ₂ fragments of purified IgG - liquid

Antiserum Preparation Antisera to human IgG were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. F(ab')₂

fragments were prepared by pepsin digestion.

Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Approx. Protein Concentrations	F(ab') ₂ concentration 0.8 mg/ml		
Immunogen	Human IgG.		

External Database						
Links	UniProt:					
	P01857	7 Relat				
	P01834 Rela P01860 Rela P01859 Rela		elated reagents			
			ed reagents			
			Related reagents			
			Related reagents			
	P0CG0	<u>Relat</u>	ted reagents			
	Entrez G	iene:				
	3500	IGHG1	Related reagents			
	3514	IGKC	Related reagents			
	<u>3501</u>	IGHG2	Related reagents			
	3502	IGHG3	Related reagents			
	3503	IGHG4	Related reagents			
	<u>28815</u>	IGLV2-14	Related reagents			
RRID	AB_3229	76				
Specificity	Goat F(ab	ctivity with o p'_{2} anti Hum e and horse p'_{2} anti Hum	man IgG antibody recognizes human IgG ther human immunoglobulin classes or sun an IgG antibody does not cross-react with serum proteins, as determined by immunonan IgG antibody has been used for the deenous retrovirus GAG matrix in patients wi	bclasses. n Goat IgG F(c) or mouse, pelectrophoresis. etection of the antibody		
	•	elson <i>et al. 2</i>	·	,		
References	 Nelson, P.N. et al. (2014) Rheumatoid Arthritis is Associated with IgG Antibodies to Human Endogenous Retrovirus Gag Matrix: A Potential Pathogenic Mechanism of Disease? <u>J Rheumatol. 41: 1952-60.</u> Trela, M. et al. (2019) Citrullination facilitates cross-reactivity of rheumatoid factor with non-IgG1 Fc epitopes in rheumatoid arthritis. <u>Sci Rep. 9 (1): 12068.</u> 					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.					
	•		ng and thawing as this may denature the anot recommended.	antibody. Storage in		
Guarantee	12 months	s from date	of despatch			
Health And Safety Information		-	heet documentation #10040 available at: htibodies.com/SDS/STAR97			

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428770:240301'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint