

Datasheet: STAR97P

BATCH NUMBER 158132

Description:	GOAT F(ab') ₂ ANTI HUMAN IgG:HRP
Specificity:	IgG (H/L)
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.6 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			1/2000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Human

Product Form

F(ab')₂ fragments of purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid

Antiserum Preparation

Antisera to human IgG were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. F(ab')₂ fragments were prepared by pepsin digestion.

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.01% Thiomersal

Approx. Protein Concentrations

IgG concentration 0.6 mg/ml

Immunogen

Human IgG.

**External Database
Links**

UniProt:

P01857	Related reagents
P01834	Related reagents
P01860	Related reagents
P01859	Related reagents
P01861	Related reagents
P0CG04	Related reagents

Entrez Gene:

3500	IGHG1	Related reagents
3514	IGKC	Related reagents
3501	IGHG2	Related reagents
3502	IGHG3	Related reagents
3503	IGHG4	Related reagents
28815	IGLV2-14	Related reagents

RRID AB_567031

Specificity

Goat F(ab')₂ anti Human IgG antibody recognizes human IgG and demonstrates <1% cross-reactivity with other human immunoglobulin classes or subclasses.

Goat F(ab')₂ anti Human IgG antibody does not cross-react with Goat IgG F(c) or mouse, rat, bovine and horse serum proteins, as determined by immunoelectrophoresis.

Goat F(ab')₂ anti Human IgG antibody has been used for the detection of the antibody response to an endogenous retrovirus GAG matrix in patients with rheumatoid arthritis by ELISA ([Nelson et al. 2014](#)).

References

1. Nelson, P.N. *et al.* (2014) Rheumatoid Arthritis is Associated with IgG Antibodies to Human Endogenous Retrovirus Gag Matrix: A Potential Pathogenic Mechanism of Disease? [J Rheumatol. 41: 1952-60.](#)
2. Trela, M. *et al.* (2019) Citrullination facilitates cross-reactivity of rheumatoid factor with non-IgG1 Fc epitopes in rheumatoid arthritis. [Sci Rep. 9 \(1\): 12068.](#)

Storage

Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted.

Guarantee

12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10094 available at:
<https://www.bio-rad-antibodies.com/SDS/STAR97P>
10094

Regulatory

For research purposes only

Related Products

Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)

[TMB CORE \(BUF056A\)](#)

[TMB CORE+ \(BUF062A\)](#)

[TMB SIGNAL+ \(BUF054A\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M375890:210114'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)