

Datasheet: TZA017

Description:	HUMAN ANTI DUPILUMAB
Specificity:	DUPILUMAB
Other names:	Dupixent
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD48542
Isotype:	Fab antibody
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Form

A monovalent human recombinant Fab (lambda light chain) selected from the HuCAL® phage display library, expressed in a proprietary *E. coli.* strain. The antibody is tagged with a DYKDDDDK tag, a SpyTag version 2 (VPTIVMVDAYKRYK) and a His6-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied as a liquid.

Preparation	Metal chelate affinity chromatography
Source	E.coli
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.0095% MIT
Approx. Protein Concentrations	Antibody concentration 0.5 mg/ml

Immunogen	Dupilumab
Specificity	Human Anti-Dupilumab Antibody, clone AbD48542 is a paratope specific, non-inhibitory anti-idiotypic antibody (Type 2) that specifically recognizes the free human monoclonal antibody drug dupilumab, and dupilumab in complex with IL-4R α , but not free IL-4R α . This antibody can be used to measure total dupilumab levels (free as well as in complex with human IL-4R α) in serum from patients.
	This TrailBlazer Antibody is available in two different formats, monovalent Fab unconjugated (TZA017) and bivalent Fab conjugated to HRP (TZA017P). The monovalent recombinant Fab antibody has a SpyTag incorporated, which is used to create the bivalent format by coupling two SpyTagged Fab antibodies to an HRP conjugated BiSpyCatcher2 (TZC002P). Either format can be used to develop a pharmacokinetic (PK) bridging ELISA to measure free dupilumab captured via immobilized IL-4Rα. TZA017 can also be converted by the user into alternative antibody formats using any of the SpyCatchers available in our catalog.
	View a summary of all SpyCatcher products
	Dupilumab (Dupixent) is a human IgG4/kappa antibody inhibiting both IL-4 and IL-13 receptors, thereby blocking these receptor signaling pathways. Dupilumab inhibits the signaling of interleukins (IL) that induce inflammatory and immunological reactions in several atopic or allergic conditions, such as eczema, allergic reaction, and rhinosinusitis.
	View a summary of all anti-dupilumab antibodies
Affinity	The monovalent intrinsic affinity of AbD48542ad was measured as K_D = 179 nM by real
	time, label free molecular interaction analysis on immobilized dupilumab.
ELISA	Clone AbD48542ad can be used as a detection antibody, together with <u>TZA016</u> as the capture antibody to detect dupilumab total drug levels in the serum of patients in PK Bridging ELISA. Note that both <u>TZA016</u> (capture) and TZA017 (detection) contain the same peptide tags,
ELISA	Clone AbD48542ad can be used as a detection antibody, together with <u>TZA016</u> as the capture antibody to detect dupilumab total drug levels in the serum of patients in PK Bridging ELISA. Note that both <u>TZA016</u> (capture) and TZA017 (detection) contain the same peptide tags, therefore using anti-tag antibodies for detecting TZA017 is not possible.
	Clone AbD48542ad can be used as a detection antibody, together with TZA016 as the capture antibody to detect dupilumab total drug levels in the serum of patients in PK Bridging ELISA. Note that both TZA016 (capture) and TZA017 (detection) contain the same peptide tags, therefore using anti-tag antibodies for detecting TZA017 is not possible. Protocol: PK Bridging ELISA to measure total drug
ELISA	Clone AbD48542ad can be used as a detection antibody, together with <u>TZA016</u> as the capture antibody to detect dupilumab total drug levels in the serum of patients in PK Bridging ELISA. Note that both <u>TZA016</u> (capture) and TZA017 (detection) contain the same peptide tags, therefore using anti-tag antibodies for detecting TZA017 is not possible.
	Clone AbD48542ad can be used as a detection antibody, together with TZA016 as the capture antibody to detect dupilumab total drug levels in the serum of patients in PK Bridging ELISA. Note that both TZA016 (capture) and TZA017 (detection) contain the same peptide tags, therefore using anti-tag antibodies for detecting TZA017 is not possible. Protocol: PK Bridging ELISA to measure total drug This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
	Clone AbD48542ad can be used as a detection antibody, together with TZA016 as the capture antibody to detect dupilumab total drug levels in the serum of patients in PK Bridging ELISA. Note that both TZA016 (capture) and TZA017 (detection) contain the same peptide tags, therefore using anti-tag antibodies for detecting TZA017 is not possible. Protocol: PK Bridging ELISA to measure total drug This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in

bio-rad.com/en-us/trademarks for details. His-tag is a registered trademark of EMD Biosciences. Dupixent is a registered trademark of Regeneron Pharmaceuticals, Sanofi-Aventis. **Health And Safety** Material Safety Datasheet documentation #20479 available at: Information https://www.bio-rad-antibodies.com/SDS/TZA017 20479 Licensed Use For in vitro research purposes and for commercial applications for the provision of in vitro testing services to support preclinical and clinical drug development. Any re-sale in any form or any other commercial application needs a written agreement with Bio-Rad. Regulatory For research purposes only **Technical Advice** Recommended protocols for coupling a Fab antibody with a SpyTag to a SpyCatcher can be found at SpyTag and SpyCatcher Products, and further information about HuCAL recombinant antibody technology can be found in the HuCAL Antibodies Technical Manual

Related Products

Recommended Useful Reagents

SpyTag3 PEPTIDE (BLP086)

HUMAN ANTI DUPILUMAB (TZA016)

HISPEC ASSAY DILUENT (BUF049A)

HUMAN ANTI DUPILUMAB (HCA383)

HUMAN ANTI DUPILUMAB (HCA384)

HUMAN ANTI DUPILUMAB (TZA014)

HUMAN ANTI DUPILUMAB (TZA015)

HUMAN ANTI DUPILUMAB:HRP (TZA015P)

HUMAN ANTI DUPILUMAB:HRP (TZA017P)

BiSpyCatcher2:HRP (TZC002P)

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M430289:240503'

Printed on 03 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint