

# Datasheet: TZA019 BATCH NUMBER 162594

Description:	ANTI MONO-ADP-RIBOSE	
Specificity:	MONO-ADP-RIBOSE	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	AbD33204ad	
Isotype:	Fab antibody	
Quantity:	0.1 mg	

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			
Western Blotting	•			
Immunofluorescence	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

а

Target Species	Protein/peptide tag	
Product Form	A monovalent human recombinant Fab selected from the HuC Expressed in a proprietary <i>E. coli.</i> strain. The antibody is tagge SpyTag version 2 (VPTIVMVDAYKRYK) and a His6-tag (HHHI the antibody heavy chain. This antibody is supplied as a liquid	ed with a DYKDDDDK tag, a
Preparation	Recombinant Fab antibody expressed in <i>E. coli</i> and purified by	y affinity chromatography
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.0095% MIT	
Carrier Free	Yes	

Approx. Protein Concentrations	Total protein concentration 0.5 mg/ml
Immunogen	ARTKQTARKS(ADPr)TGGKAC
Specificity	Anti mono-ADP-ribose antibody, clone AbD33204ad, recognizes mono-adenosine diphosphate (ADP)-ribosylation. ADP-ribosylation is a reversible post-translational modification that occurs in multicellular organisms as well as some lower unicellular eukaryotes, but is absent in prokaryotes and yeast (Bürkle 2005). ADP ribosylation has been shown to play critical roles in many physiological and pathological processes, including bacterial pathogenesis and signaling and metabolism to control chromatin-related processes including transcription and DNA repair (Bonfiglio et al. 2020, Bütepage et al. 2015).
	Members of the ADP-ribosyltransferase (ART) superfamily of proteins including the poly(ADP-ribose) polymerases (PARPs) subfamily, catalyze the transfer of ADP-ribose from nicotinamide adenine dinucleotide (NAD+) onto substrate protein via N-, O-, or S-glycosidic linkages. These transferases are able to transfer a single ADP-ribose residue to their substrate proteins, in a process known as mono-ADP-ribosylation ( <u>Bütepage et al. 2015</u> ).
	The anti mono-ADP-ribose antibody, clone AbD33204ad is a mono-selective ADP-ribose antibody which was generated using an H3S10ADPr peptide as the antigen. It is tagged with a SpyTag2 at the C-terminus of the Fab heavy chain, enabling the user to couple it to a <a href="SpyCatcher reagent">SpyCatcher reagent</a> for conversion to alternative formats in less than an hour. It has the same specificity for mono-ADPr with a preference for ubiquitin Arg-ADPr and mono-ADPr catalysed by other PARPs than the human/rabbit IgG chimera antibody <a href="HCA354">HCA354</a> , clone AbD33204. Another mono-ADPr antibody ( <a href="HCA355">HCA355</a> , clone AbD33205) also specifically recognizes mono-ADP-ribose, however it has a preference for Ser-mono-ADP-riboses.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details.  His-tag is a registered trademark of EMD Biosciences
Health And Safety Information	Material Safety Datasheet documentation #20479 available at: <a href="https://www.bio-rad-antibodies.com/SDS/TZA019">https://www.bio-rad-antibodies.com/SDS/TZA019</a> 20479

## **Regulatory** For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M409805:221021'

### Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint