

## Datasheet: TZA093GA

<b>Description:</b>	MOUSE ANTI HUMAN CD186
<b>Specificity:</b>	CD186
<b>Other names:</b>	CXCR6
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	rD02-7B3
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified recombinant IgG containing a SpyTag at the C-terminus of the antibody heavy chain – liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Source</b>	CHO cells
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

<b>Immunogen</b>	Mammalian cells transfected with full length CD186
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">O00574</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">10663</a> CXCR6    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	BONZO, STRL33, TYMSTR
<b>Specificity</b>	<p><b>Mouse anti Human CD186 antibody, clone rD02-7B3</b>, is a recombinant monoclonal antibody that recognizes CD186, also known as C-X-C chemokine receptor type 6 (CXCR6), Bonzo or STRL33.</p> <p>CD186 is a 39kDa G protein-coupled chemokine receptor which is expressed on CD4+ T cells, NK cells and plasma cells, as well as lymphoid tissues. It is expressed at a very low level on naïve CD8+ T cells, with expression upregulated after activation. Through interactions with its ligand CXCL16, CD186 is involved in chemotaxis, aiding in immune responses by recruiting cells to sites of inflammation.</p> <p>CD186 acts as a co-receptor for m-tropic HIV-1 and SIVs in conjunction with CD4. Dysfunction or altered expression of CD186 has been linked to several autoimmune and inflammatory diseases. In rheumatoid arthritis, elevated expression is found in T cells found in synovial fluid, where it is implicated in disease pathogenesis by inducing T-lymphocyte homing to the joints and Th1 polarization. Expression is also upregulated on T cells in the colons of patients with Crohn's disease. CD8+ T cell trafficking to the skin in vitiligo patients is mediated by CD186-CXCL16 interactions.</p>
<b>Flow Cytometry</b>	Use 5µl of the suggested working dilution to label 0.5x10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 min centrifugation at 6,000g prior to sample application.
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Acknowledgements</b>	This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See <a href="http://bio-rad.com/en-us/trademarks">bio-rad.com/en-us/trademarks</a> for details.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/TZA093GA">https://www.bio-rad-antibodies.com/SDS/TZA093GA</a>

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

**Product inquiries:** [www.bio-rad-antibodies.com/technical-support](http://www.bio-rad-antibodies.com/technical-support)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)

'M446729:260109'

Printed on 10 Feb 2026

---