Datasheet: TZC002P BATCH NUMBER 157258

Description:	BiSpyCatcher2:HRP
Name:	BISPYCATCHER2
Format:	Catcher-HRP
Product Type:	Recombinant Protein
Quantity:	1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
	Immunoassay	Yes	No	Not Determined	Suggested Dilution
	Where this product has n	ot been te	ested for u	use in a particular tech	nique this does not
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.				
Target Species	Protein/peptide tag				
Product Form	Purified recombinant protein conjugated to Horseradish Peroxidase (HRP) - liquid				
Preparation	Recombinant protein expressed in <i>E. coli</i> and purified by affinity chromatography				
Source	E.coli				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.0095% MIT				
Approx. Protein Concentrations	80 µM (2.4 mg/ml)				
Product Information	BiSpyCatcher2 (H-BiSpyC2) is a 29 kDa homodimer of SpyCatcher2 (TZC001) bridged with a flexible linker. Each SpyCatcher2 subunit can form a stable covalent isopeptide bond with a second protein that includes a SpyTag. The reaction occurs spontaneously on mixing, is rapid, irreversible, high-yielding and shows good specificity. BiSpyCatcher2				

contains a His6-tag at the N-terminus. To avoid deamidation of asparagine, a N105D mutation was introduced (<u>Hentrich *et al.* 2020</u>) for each of the two Catchers.

The reaction is robust at pH 5 to 8, at temperatures from $+4^{\circ}$ C to $+37^{\circ}$ C, in various buffer conditions (Ca2⁺/Mg2⁺ not needed) and in the presence of detergents. The reaction also occurs inside cells (*in vivo*). Since the speed of the coupling reaction is concentration dependent, it is recommended to use BiSpyCatcher2 undiluted.

All the different formats of BiSpyCatcher2 are compatible with Bio-Rad's recombinant HuCAL® antibodies with a SpyTag2 at the C-terminus of the heavy chain.

Download BiSpyCatcher coupling protocol

BiSpyCatcher2 (<u>TZC002</u>) is available in two modified versions, BiSpyCatcher2-CYS (<u>TZC002CYS</u>) and BiSpyCatcher-CYS3 (<u>TZC002CYS3</u>), which contain one or three cysteine residues, respectively, for site-specific conjugation by the user. BiSpyCatcher2 (<u>TZC002</u>) is also available conjugated to biotin (<u>TZC002B</u>) and HRP (<u>TZC002P</u>).

BiSpyCatcher2-CYS can dimerize by formation of a disulfide bond via the free cysteines. Before conjugation to these cysteines, the BiSpyCatcher2-CYS must be reduced e.g., by addition of 5mM DTT and incubation for 1 hr at room temperature, followed by a fast DTT removal step, e.g., by size exclusion chromatography, as DTT can interfere with the conjugation chemistry.

BiSpyCatcher2-CYS3 contains DTT to avoid oligomerization through disulfide bond formation. Immediately before conjugation, to avoid oxidation and disulfide bond formation, carry out a fast DTT removal step, e.g., by size exclusion chromatography.

View all available Catchers

Protein Molecular Weight	Predicted molecular weight of the purified Catcher is 29469 Da The molecular weight specified excludes conjugation and will weight of the label			
Purity	≥90% determined by SDS-PAGE under reducing conditions and visualized by coomassie blue staining			
Instructions For Use	View BiSpyCatcher Coupling Protocol			
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezi denature the protein. Should this product contain a precipitate microcentrifugation before use.			
Guarantee	12 months from date of despatch			

Acknowledgements	This product and/or its use is covered by claims of U.S. patent non-U.S. patent applications owned by or under license to Bio bio-rad.com/en-us/trademarks for details. His-tag is a registered trademark of EMD Biosciences.	
Health And Safety Information	Material Safety Datasheet documentation #20480 available at: https://www.bio-rad-antibodies.com/SDS/TZC002P 20480	
Licensed Use	For <i>in vitro</i> research purposes. Any re-sale in any form or any application needs a written agreement with Bio-Rad.	other commercial
Regulatory	For research purposes only	

Related Products

Recommended Useful Reagents

BiSpyCatcher2 (TZC002) BiSpyCatcher2:Biotin (TZC002B) BiSpyCatcher2-CYS (TZC002CYS) BiSpyCatcher2-CYS3 (TZC002CYS3) SpyTag3 PEPTIDE (BLP086)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418529:230427'

Printed on 17 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint