

Datasheet: TZC002P BATCH NUMBER 164510

| Description: | BiSpyCatcher2:HRP |
|---------------|---------------------|
| Name: | BISPYCATCHER2 |
| Format: | Catcher-HRP |
| Product Type: | Recombinant Protein |
| Quantity: | 1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|-------------|-----|----|----------------|---------------------------|
| Immunoassay | | | | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Protein/peptide tag |
|--------------------------------|--|
| Product Form | Purified recombinant protein conjugated to Horseradish Peroxidase (HRP) - liquid |
| Preparation | Recombinant protein expressed in E. coli and purified by affinity chromatography |
| Source | E.coli |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.0095% MIT |
| Approx. Protein Concentrations | 80 μM (2.4 mg/ml) |
| | |

Product Information

BiSpyCatcher2 (H-BiSpyC2) is a 29 kDa homodimer of SpyCatcher2 (<u>TZC001</u>) bridged with a flexible linker. Each SpyCatcher2 subunit can form a stable covalent isopeptide bond with a second protein that includes a SpyTag. The reaction occurs spontaneously on mixing, is rapid, irreversible, high-yielding and shows good specificity. BiSpyCatcher2

contains a His6-tag at the N-terminus. To avoid deamidation of asparagine, a N105D mutation was introduced (Hentrich et al. 2020) for each of the two Catchers.

The reaction is robust at pH 5 to 8, at temperatures from +4°C to +37°C, in various buffer conditions (Ca2+/Mg2+ not needed) and in the presence of detergents. The reaction also occurs inside cells (*in vivo*). Since the speed of the coupling reaction is concentration dependent, it is recommended to use BiSpyCatcher2 undiluted.

All the different formats of BiSpyCatcher2 are compatible with Bio-Rad's recombinant HuCAL® antibodies with a SpyTag2 at the C-terminus of the heavy chain.

Download BiSpyCatcher coupling protocol

BiSpyCatcher2 (<u>TZC002</u>) is available in two modified versions, BiSpyCatcher2-CYS (<u>TZC002CYS</u>) and BiSpyCatcher-CYS3 (<u>TZC002CYS3</u>), which contain one or three cysteine residues, respectively, for site-specific conjugation by the user. BiSpyCatcher2 (<u>TZC002</u>) is also available conjugated to biotin (<u>TZC002B</u>) and HRP (<u>TZC002P</u>).

BiSpyCatcher2-CYS can dimerize by formation of a disulfide bond via the free cysteines. Before conjugation to these cysteines, the BiSpyCatcher2-CYS must be reduced e.g., by addition of 5mM DTT and incubation for 1 hr at room temperature, followed by a fast DTT removal step, e.g., by size exclusion chromatography, as DTT can interfere with the conjugation chemistry.

BiSpyCatcher2-CYS3 contains DTT to avoid oligomerization through disulfide bond formation. Immediately before conjugation, to avoid oxidation and disulfide bond formation, carry out a fast DTT removal step, e.g., by size exclusion chromatography.

View all available Catchers

| Protein Molecular Weight | Predicted molecular weight of the purified Catcher is 29469 Da The molecular weight specified excludes conjugation and will vary upon conjugation depending on the molecular weight of the label |
|-----------------------------|---|
| Purity | ≥90% determined by SDS-PAGE under reducing conditions and visualized by coomassie blue staining |
| Instructions For Use | View BiSpyCatcher Coupling Protocol |
| Storage | Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Guarantee | 12 months from date of despatch |

| Acknowledgements | This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details. His-tag is a registered trademark of EMD Biosciences. | |
|----------------------------------|---|--|
| Health And Safety Information | Material Safety Datasheet documentation #20480 available at: https://www.bio-rad-antibodies.com/SDS/TZC002P 20480 | |
| Licensed Use | For <i>in vitro</i> research purposes. Any re-sale in any form or any other commercial application needs a written agreement with Bio-Rad. | |
| Regulatory | For research purposes only | |

Related Products

Recommended Useful Reagents

BiSpyCatcher2 (TZC002)

BiSpyCatcher2:Biotin (TZC002B)

BiSpyCatcher2-CYS (TZC002CYS)

BiSpyCatcher2-CYS3 (TZC002CYS3)

SpyTag3 PEPTIDE (BLP086)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418529:230427'

Printed on 17 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint