

Datasheet: VMA00026

Description:	RAT ANTI CCT BETA
Specificity:	CCT BETA
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	PK/8/4/4i/2F
Isotype:	IgG2b
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Rat, Mouse, Bovine, Chicken, Sheep, Dog, Rabbit, Hamster, Pig, Monkey
N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

Rat monoclonal antibody purified by affinity chromatography on Protein G from tissue culture supernatant.

Buffer Solution

Phosphate buffered saline.

Preservative Stabilisers

0.09% Sodium Azide (NaN₃).

Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Mouse CCT beta peptide conjugated to purified tuberculin protein derivative
External Database Links	<p>UniProt: P78371 Related reagents</p> <p>Entrez Gene: 10576 CCT2 Related reagents</p>
Synonyms	99D8.1, CCTB
Specificity	<p>Rat anti Human CCT beta antibody recognizes human T-complex protein 1 subunit beta, also known as CCT beta, CCT2 or TCP-1-beta. CCT beta is a 535 amino acid cytoplasmically expressed chaperonin molecule involved in protein folding and has been shown to be involved in actin interaction (Llorca et al. 1999). Two isoforms of CCT beta have been described, arising from alternative splicing. It is not clear whether this Rat anti Human CCT beta antibody recognizes the shorter isoform 2, lacking the N-terminal 47 amino acids seen in isoform 1.</p> <p>Rat anti Human CCT beta antibody recognizes CCT beta as a single band of ~ 57 kDa in multiple human cell line lysates by western blotting under reducing conditions and is cross reactive with both mouse and rat cell line lysates.</p>
Western Blotting	Anti CCT beta antibody detects a band of approximately 57 kDa in Jurkat cell lysates.
References	<ol style="list-style-type: none"> Satish, L. <i>et al.</i> (2010) Cloning and expression of rabbit CCT subunits eta and beta in healing cutaneous wounds. Cell Stress Chaperones. 15 (6): 819-26. Fislová, T. <i>et al.</i> (2010) Association of the influenza virus RNA polymerase subunit PB2 with the host chaperonin CCT. J Virol. 84 (17): 8691-9. Satish, L. <i>et al.</i> (2010) Chaperonin containing T-complex polypeptide subunit eta (CCT-eta) is a specific regulator of fibroblast motility and contractility. PLoS One. 5 (4): e10063. Plimpton, R.L. <i>et al.</i> (2015) Structures of the Gβ-CCT and PhLP1-Gβ-CCT complexes reveal a mechanism for G-protein β-subunit folding and Gβγ dimer assembly. Proc Natl Acad Sci U S A. 112 (8): 2413-8. Satish, L. <i>et al.</i> (2011) Chaperonin containing T-complex polypeptide (CCT) subunit expression in oral mucosal wounds and fibroblasts. Cell Stress Chaperones. 16 (6): 675-80.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety	Material Safety Datasheet documentation #10040 available at:

Information Antibody (10040): <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR72...) [HRP](#)

Recommended Negative Controls

[RAT IgG2b NEGATIVE CONTROL \(MCA6006GA\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M407267:221006'

Printed on 06 Oct 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)