

Datasheet: VMA00046

BATCH NUMBER 160822

| | |
|----------------------|--|
| Description: | MOUSE ANTI GAPDH |
| Specificity: | GAPDH |
| Other names: | Glyceraldehyde-3-Phosphate Dehydrogenase |
| Format: | Purified |
| Product Type: | PrecisionAb Monoclonal |
| Clone: | 4G5 |
| Isotype: | IgG1 |
| Quantity: | 100 µl |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | ▪ | | | 1/1000 |

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

| | |
|---------------------------------|--|
| Target Species | Human |
| Product Form | Purified IgG - liquid |
| Preparation | Mouse monoclonal antibody purified by affinity chromatography on Protein A from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |
| Immunogen | Human GAPDH from cardiac muscle |

**External Database
Links**

UniProt:

[P04406](#) [Related reagents](#)

Entrez Gene:

[2597](#) GAPDH [Related reagents](#)

Synonyms

GAPD

Specificity

Mouse anti Human GAPDH antibody recognizes glyceraldehyde-3-phosphate dehydrogenase (GAPDH), a 335 amino acid multifunctional protein whose main function is to catalyse the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate, in conjunction with inorganic phosphate and nicotinamide adenine dinucleotide (NAD). This reaction is an important energy yielding step in carbohydrate metabolism.

GAPDH has also been shown to translocate to the nucleus under a variety of stressors, most of which are associated with oxidative stress, whereby it mediates cell death. A further report has shown that GAPDH binds to several proteins that are responsible for neurodegenerative diseases, such as amyloid precursor protein and huntingtin ([Burke *et al.* 1996](#)).

Mouse anti Human GAPDH antibody recognizes human GAPDH as a single band of ~36 kDa by western blotting in a variety of human cell line lysates under reducing conditions.

Western Blotting

Anti GAPDH antibody detects a band of approximately 36 kDa in HEK293 cell lysates.

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/VMA00046>
Antibody (10040)

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M369864:200529'

