Datasheet: VMA00054 BATCH NUMBER 230914

MOUSE ANTI EBP50
EBP50
Purified
PrecisionAb Monoclonal
EBP-10
lgG2b
100 µl

Product Details

 Applications
 This product has been reported to work in the following applications. This information is

 derived from testing within our laboratories, peer-reviewed publications or personal

 communications from the originators. Please refer to references indicated for further

 information. For general protocol recommendations, please visit www.bio

 rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <u>here</u> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Mouse monoclonal antibody purified by affinity chromatography culture supernatant	on Protein G from tissue
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml	
Immunogen	Bacterially produced recombinant full length human EBP50.	

External Database Links	UniProt: <u>O14745</u> <u>Related reagents</u>
	Entrez Gene:
	9368 SLC9A3R1 Related reagents
Synonyms	NHERF, NHERF1
Specificity	Mouse anti Human EPB50 antibody recognizes ezrin/radixin/moesin (ERM)-binding phosphoprotein of 50 kDa (EBP50) otherwise known as Na+/H+ exchanger regulatory factor 1 (NHERF1), regulatory cofactor of Na(+)/H(+) exchanger, sodium-hydrogen exchanger regulatory factor 1 or solute carrier family 9 isoform A3 regulatory factor 1. EBP50 is a 358 amino acid cytoplasmic adaptor molecule containing two PDZ domains. EBP50 is expressed in tissues containing polarized epithelia, including the small intestine, placenta, liver and kidney.
	The ERM family of membrane-cytoskeletal linking proteins act to maintain a regulated linkage between actin filaments (F-actin) and the plasma membrane. Studies have revealed that EBP50 is an important ERM binding partner, which interacts with the N-terminal FERM (four point one ERM) domain of ERM proteins, via its C-terminal domain. EBP50 colocalizes with actin and ezrin, in the apical mircovilli of epithelial cells and this role as binding partner has been further shown through the interaction of EBP50 with the transmembrane adaptor protein known as protein associated with glycosphingolipid-enriched microdomains (PAG), in T-cells (Reczek <i>et al.</i> 1997).
	Mutations in the gene encoding EBP50 leads to nephrolithiasis/osteoporosis, hypophosphatemic, 2 disease, characterized by impaired phosphate metabolism (<u>Courbebaisse <i>et al.</i> 2012</u>). Other ligands which bind to the PDZ domains of EBP50, include beta-catenin, cystic fibrosis transmembrane conductance regulator and the type II Na/Pi cotransporter Npt2, implicating EBP50 in a diverse range of biological systems. Mouse anti Human EBP50 antibody recognizes EBP50 as a single band of ~50 kDa in western blotting in multiple cell line lysates including myeloid, lymphoid, neuronal,
	adenocarcinoma, sarcoma and embryonic kidney.
Western Blotting	Anti EBP50 antibody detects a band of approximately 50 kDa in Jurkat cell lysates.
Storage	Store undiluted at -20 ^o C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00054 Antibody (10040)

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M374061:201017'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint