

# Datasheet: VMA00061KT

Description:	EGF RECEPTOR ANTIBODY WITH CONTROL LYSATE
Specificity:	EGF R
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	IgG2a
Quantity:	

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

**PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.** 

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography on Protein G from ascites.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Immunogen	E. coli derived recombinant protein corresponding to aa 363-499 of the human EGF receptor
External Database Links	UniProt: P00533 Related reagents  Entrez Gene: 1956 EGFR Related reagents
Synonyms	ERBB1
Specificity	Mouse anti Human EGF receptor antibody recognizes the epidermal growth factor receptor, also

known as Proto-oncogene c-ErbB-1 or receptor tyrosine-protein kinase erbB-1.

The protein encoded by EGFR is a transmembrane glycoprotein that is a member of the protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGF receptor is a cell surface protein that binds to epidermal growth factor. Binding of the protein to a ligand induces receptor dimerization and tyrosine autophosphorylation and leads to cell proliferation. Mutations in EGFR are associated with lung cancer. Multiple alternatively spliced transcript variants that encode different protein isoforms have been found for EGFR. (provided by RefSeq, Jul 2010).

Mouse anti Human EGF receptor antibody detects a band of 170 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Anti EGF R antibody detects a band of approximately 170 kDa in A431 cell lysates.  Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.  400µg A431 lysate lyophilized in RIPA buffer.  If using DDT reconstitute the lyophilized lysate with 190µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.  If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.
antibody dilution and exposure time see product web page.  400µg A431 lysate lyophilized in RIPA buffer.  - If using DDT reconstitute the lyophilized lysate with 190µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample
- If using DDT reconstitute the lyophilized lysate with 190µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample
Buffer and 10µl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample
241101 41114 20pt 211121
Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
As supplied, 12 months from date of despatch.
PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
F L r

### Related Products

Regulatory

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

**Recommended Negative Controls** 

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South Tel: +1 800 265 7376

Worldwide

For research purposes only

Europe

Tel: +49 (0) 89 8090 95 21

**America** Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

'M336866:181214'

Tel: +44 (0)1865 852 700

### Printed on 04 Feb 2019

© 2019 Bio-Rad Laboratories Inc | <u>Legal</u> | <u>Imprint</u>