

Datasheet: VMA00077

BATCH NUMBER 150415

| MOUSE ANTI PSMD8 |
|------------------------|
| PSMD8 |
| Purified |
| PrecisionAb Monoclonal |
| lgG2b |
| 100 μΙ |
| |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | | | | 1/1000 |

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

| Target Species | Human | | | | |
|-----------------------------|--|--|--|--|--|
| Product Form | Purified IgG - liquid | | | | |
| Preparation | Mouse monoclonal antibody purified by affinity chromatography on Protein G from tissue culture supernatant | | | | |
| Buffer Solution | Phosphate buffered saline | | | | |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) | | | | |
| Immunogen | E. Coli derived recombinant protein, aa 94-350 of human PSMD8 | | | | |
| External Database Links | UniProt: P48556 Related reagents | | | | |

Entrez Gene:

5714 PSMD8 Related reagents

Specificity

Mouse anti Human PSMD8 antibody recognizes PSMD8, also known as 26S proteasome non-ATPase regulatory subunit 8, 26S proteasome regulatory subunit RPN12, 26S proteasome regulatory subunit S14, p31.

The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. PSMD8 encodes a non-ATPase subunit of the 19S regulator. A pseudogene has been identified on chromosome 1. (provided by RefSeq, Jul 2008).

Mouse anti Human PSMD8 antibody detects a band of 29 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

| Western Blotting | Anti PSMD8 detects a band of approximately 29 kDa in K562 cell lysates. |
|----------------------------------|---|
| Storage | Store undiluted at -20°C, avoiding repeated freeze thaw cycles. |
| Guarantee | 12 months from date of despatch |
| Acknowledgements | PrecisionAb is a trademark of Bio-Rad Laboratories. |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00077 Antibody (10040) |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M369885:200529'

Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint