

Datasheet: VMA00085KT

Description:	EXPORTIN-1 ANTIBODY WITH CONTROL LYSATE
Specificity:	EXPORTIN-1
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	IgG2b
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Immunogen	<i>E. Coli</i> derived recombinant protein, aa 932-1071 of human exportin-1
External Database Links	<p>UniProt: O14980 Related reagents</p> <p>Entrez Gene: 7514 XPO1 Related reagents</p>
Synonyms	CRM1
Specificity	Mouse anti Human exportin-1 antibody recognizes exportin-1, also known as Exp1, XPO1 and chromosome region maintenance 1 protein homolog.

Exportin-1 mediates leucine-rich nuclear export signal (NES)-dependent protein transport and specifically inhibits the nuclear export of Rev and U snRNAs. It is involved in the control of several cellular processes by controlling the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also regulates NFAT and AP-1 (provided by RefSeq, Jul 2008).

Mouse anti Human exportin-1 antibody detects a band of 112 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti exportin-1 detects a band of approximately 112 kDa in Jurkat cell lysates.
-------------------------	---

Instructions For Use	Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page.
-----------------------------	---

Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer.
---------------------------	---

Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
------------------------------	---

Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
----------------	---

Shelf Life	As supplied, 12 months from date of despatch.
-------------------	---

Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
-------------------------	--

Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

North & South America
Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide
Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe
Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M336979:181214'

Printed on 02 Jan 2019

