

### Datasheet: VMA00092KT

Description:	DESMOGLEIN 2 ANTIBODY WITH CONTROL LYSATE		
Specificity:	DESMOGLEIN 2		
Format:	Purified		
<b>Product Type:</b>	PrecisionAb™ Monoclonal		
Clone:	10D2		
Isotype:	lgG1		
Quantity:	2 Westerns		

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.** 

Target Species	Human		
Product Form	Purified IgG - liquid		
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography on Protein A from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )		
Immunogen	Recombinant fusion protein fragment consisting of amino acids 37-164 of desmoglein 2 which consists of the entire extracellular domain and a portion of the proregion.		
External Database Links	UniProt:  Q14126 Related reagents  Entrez Gene:  1829 DSG2 Related reagents		
Synonyms	CDHF5		

Specificity	Mouse anti Human desmoglein 2 recognizes desmoglein 2, a member of the desmoglein family. Desmosomes are cell-cell junctions between epithelial, myocardial, and certain other cell types. Currently, four desmoglein subfamily members have been identified and all are members of the cadherin cell adhesion molecule superfamily.
	Desmoglein 2 is a membrane glycoprotein with four highly conserved extracellular domains (EC1 - 4) and six cytoplasmic desmoglein repeat sequences. It has a predicted molecular weight of 122 kDa and an apparent molecular weight of 150 kDa, due to post translational modification. Desmoglein 2 is a core component of the desmosome cell-cell junction between cells. This protein has been identified as the autoantigen of the autoimmune skin blistering disease pemphigus vulgaris and mutations in the gene have been associated with arrhythmogenic right ventricular dysplasia.
	Mouse anti Human desmoglein 2 antibody is specific for the EC1 domain of desmoglein 2 (Keim et al., 2008) and has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti desmoglein 2 antibody detects a band of approximately 150 kDa in HeLa cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HeLa lysate lyophilized in RIPA buffer.
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 20μl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>
References	1. Keim, S.A. <i>et al.</i> (2008) Generation and characterization of monoclonal antibodies against the proregion of human desmoglein-2. <u>Hybridoma (Larchmt). 27 (4): 249-58.</u>
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

## **Recommended Negative Controls**

## MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

**America** Fax: +1 919 878 3751

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

'M345349:190125'

#### Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint