

Datasheet: VMA00098KT

Description:	Cdc2 ANTIBODY WITH CONTROL LYSATE	
Specificity:	Cdc2	
Format:	Purified	
Product Type:	PrecisionAb Monoclonal	
Isotype:	lgG2a	
Quantity:	2 Westerns	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Immunogen	Recombinant human p34 cdc2 fusion protein
External Database Links	UniProt:

P06493

Related reagents

	983 CDK1 Related reagents
Synonyms	CDC2
Specificity	Mouse anti Human Cdc2 antibody recognizes Cdc2, also known as cell cycle controller CDC2, cell division control protein 2 homolog, cell division cycle 2, cell division protein kinase 1 and p34 protein kinase.
	Cdc2 is a highly conserved protein with an important role in cell cycle progression and DNA break repair. Cdc2 overexpression in malignant tumor cells may play a role in tumor progression and be indicative of prognostic. Mouse anti Human Cdc2 antibody detects a band of 34 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti Cdc2 detects a band of approximately 34 kDa in Jurkat cell lysates.
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg Jurkat lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Entrez Gene:

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351007:190315'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint