

Datasheet: VMA00121KT

Description:	RUNX3 ANTIBODY WITH CONTROL LYSATE		
Specificity:	RUNX3		
Format:	Purified		
<b>Product Type:</b>	PrecisionAb Monoclonal		
Isotype:	lgG2b		
Quantity:	2 Westerns		

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Species Cross Reactivity	Reacts with: Rat  N.B. Antibody reactivity and working conditions may vary between species reactivity is derived from testing within our laboratories, peer-reviewed purple personal communications from the originators. Please refer to references further information.	ıblications or
Product Form	Purified IgG - liquid	
Preparation	20µl Mouse monoclonal antibody prepared by affinity chromatography or ascites	Protein G from
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )	

#### **Immunogen**

Purified recombinant fragment of human RUNX3 (amino acids 186-252) expressed in E. coli

# **External Database**

Links

#### **UniProt:**

Q13761 Related reagents

#### **Entrez Gene:**

864 RUNX3 Related reagents

#### **Synonyms**

AML2, CBFA3, PEBP2A3

#### **Specificity**

Mouse anti Human RUNX3 antibody recognizes RUNX3, also known as CBF-alpha-3, PEA2 alpha C, PEA2-alpha C, PEBP2 alpha C, PEBP2-alpha C, SL3-3 enhancer factor 1 alpha C subunit, SL3/AKV core-binding factor alpha C subunit, acute myeloid leukemia 2 protein, acute myeloid leukemia gene 2, core-binding factor subunit alpha-3, core-binding factor, runt domain, alpha subunit 3, oncogene AML-2, polyomavirus enhancer-binding protein 2 alpha C subunit and transcription factor AML2.

The RUNX3 gene encodes a member of the runt domain-containing family of transcription factors. A heterodimer of this protein and a beta subunit forms a complex that binds to the core DNA sequence 5'-PYGPYGGT-3' found in a number of enhancers and promoters, and can either activate or suppress transcription. It also interacts with other transcription factors. It functions as a tumor suppressor, and the gene is frequently deleted or transcriptionally silenced in cancer. Multiple transcript variants encoding different isoforms have been found for RUNX3 (provided by RefSeq, Jul 2008).

Mouse anti Human RUNX3 antibody detects a band of 45 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

### **Western Blotting**

Anti RUNX3 detects a band of approximately 45 kDa in Jurkat cell lysates.

#### **Instructions For Use**

Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.

#### **Lysate Composition**

400µg Jurkat lysate lyophilized in RIPA buffer.

- Lysate Reconstitution If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
  - If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

#### **Storage**

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

# **Recommended Negative Controls**

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351510:190318'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint