

Datasheet: VMA00134 **BATCH NUMBER 240615**

Description: MOUSE ANTI EIF2S1		
Specificity:	EIF2S1	
Format:	Purified	
Product Type:	PrecisionAb Monoclonal	
Clone:	OTI3H4	
Isotype:	lgG1	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.biorad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human		
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.		
Product Form	Purified IgG - liquid		
Preparation	Mouse monoclonal antibody purified by affinity chromatography from ascites.		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		

Stabilisers	1% Bovine Serum Albumin 50% Glycerol		
Immunogen	Full length recombinant human EIF2S1 (NP_004085) produced in HEK293T cells		
External Database Links	UniProt: P05198 Related reagents Entrez Gene: 1965 EIF2S1 Related reagents		
Synonyms	EIF2A		
Specificity	Mouse anti Human EIF2S1 antibody, clone OTI3H4 recognizes EIF2S1, also known as eIF-2-alpha, eukaryotic translation initiation factor 2 subunit 1 and eukaryotic translation initiation factor 2 subunit alpha.		
	The translation initiation factor EIF2 catalyzes the first regulated step of protein synthesis initiation, promoting the binding of the initiator tRNA to 40S ribosomal subunits. Binding occurs as a ternary complex of methionyl-tRNA, EIF2, and GTP. EIF2 is composed of 3 nonidentical subunits, the 36 kDa EIF2-alpha subunit (EIF2S1), the 38 kDa EIF2-beta subunit (EIF2S2), and the 52 kDa EIF2-gamma subunit (EIF2S3). The rate of formation of the ternary complex is modulated by the phosphorylation state of EIF2-alpha (Ernst et al. 1987).		
	Mouse anti Human EIF2S1 antibody detects a band of 36 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.		
Western Blotting	Anti EIF2S1 detects a band of approximately 36 kDa in HEK293 cell lysates.		
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.		
Guarantee	12 months from date of despatch		
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.		
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/VMA00134 Antibody (10048)		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 То Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 find a Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M369930:200529'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint