

## Datasheet: VMA00142KT

<b>Description:</b>	PSMB4 ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	PSMB4
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Monoclonal
<b>Clone:</b>	OTI5B5
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	2 Westerns

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	20µl Mouse monoclonal antibody purified by affinity chromatography from ascites.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 50% Glycerol
<b>Immunogen</b>	Full length recombinant protein of human PSMB4 (NP_002787) produced in HEK293T cell
<b>External Database Links</b>	<b>UniProt:</b>

**Entrez Gene:**

[5692](#) PSMB4   [Related reagents](#)

---

<b>Synonyms</b>	PROS26
-----------------	--------

---

<b>Specificity</b>	<p><b>Mouse anti Human PSMB4 antibody</b> recognizes PSMB4, also known as 26 kDa prosomal protein, hsBPROS26, macropain beta chain, multicatalytic endopeptidase complex beta chain, proteasome beta chain, proteasome chain 3, proteasome subunit HsN3 and proteasome subunit beta type-4.</p> <p>The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. PSMB4 encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit (provided by RefSeq, Jul 2008).</p> <p>Mouse anti Human PSMB4 antibody detects a band of 28 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
--------------------	---

---

<b>Western Blotting</b>	Anti PSMB4 detects a band of approximately 28 kDa in Jurkat cell lysates.
-------------------------	---

---

<b>Instructions For Use</b>	Please refer to the <a href="#">PrecisionAb western blotting protocol</a> . For additional information on secondary antibody dilution and exposure time see product web page.
-----------------------------	---

---

<b>Lysate Composition</b>	400µg Jurkat lysate lyophilized in RIPA buffer.
---------------------------	---

---

<b>Lysate Reconstitution</b>	<ul style="list-style-type: none"><li>- If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</li><li>- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</li></ul> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
------------------------------	--

---

<b>Storage</b>	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
----------------	--

---

<b>Guarantee</b>	As supplied, 12 months from date of despatch.
------------------	---

---

<b>Acknowledgements</b>	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
-------------------------	--

---

<b>Health And Safety</b>	Material Safety Datasheet documentation #10048 #10561 available at:
--------------------------	---

**Information** Antibody (10048): <https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf>  
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

From March 15, 2021, we will no longer supply printed datasheets with our products.  
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M351379:190318'

**Printed on 10 Feb 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)