

Datasheet: VMA00156

Description:	MOUSE ANTI CYTOCHROME P450 2E1
Specificity:	CYTOCHROME P450 2E1
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI5F11
lsotype:	lgG1
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	-			1/1000			
	The PrecisionAb label	is reserve	ed for an	tibodies that meet t	he defined performance			
	how we validate our Pr	recisionA ique this d	b range. loes not r	Where this product h necessarily exclude it	s use in such procedures.			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	Mouse monoclonal antib	ody purifie	ed by affi	nity chromatography	from ascites.			
Buffer Solution	Phosphate buffered salir	ne.						
Preservative	0.09% Sodium Azide (N	aN ₃)						
Stabilisers	1% Bovine Serum Albun	nin						
	50% Glycerol							
Approx. Protein Concentrations	IgG concentration 0.51 r	ng/ml.						
Immunogen	Full length recombinant HEK293T cells	human cy	tochrome	P450 2E1 (NP_0007	764) produced in			

External Database Links	UniProt: <u>P05181</u> <u>Related reagents</u>					
	Entrez Gene: <u>1571</u> CYP2E1 <u>Related reagents</u>					
Synonyms	CYP2E					
Specificity	Mouse anti Human cytochrome P450 2E1 antibody, clone OTI5F11 recognizes cytochrome P450 2E1, also known as 4-nitrophenol 2-hydroxylase, CYPIIE1, cytochrome P450, subfamily IIE (ethanol-inducible), polypeptide 1, cytochrome P450-J, flavoprotein- linked monooxygenase, microsomal monooxygenase and xenobiotic monooxygenase. Encoded by the CYP2E1 gene, cytochrome P450 2E1 is a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and is induced by ethanol, the diabetic state, and starvation. The enzyme metabolizes both endogenous substrates, such as ethanol, acetone, and acetal, as well as exogenous substrates including benzene, carbon tetrachloride, ethylene glycol, and nitrosamines which are premutagens found in cigarette smoke. Due to its many substrates, this enzyme may be involved in such varied processes as gluconeogenesis, hepatic cirrhosis, diabetes, and cancer (provided by RefSeq, Jul 2008). Mouse anti Human cytochrome P450 2E1 antibody detects a band of 57 kDa. The					
Western Blotting	Anti Cytochrome P450 2E1 detects a band of approximately 57 kDa in Human liver cell lysates.					
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.					
Guarantee	12 months from date of despatch.					
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.					
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/VMA00156 Antibody (10048)					
Regulatory	For research purposes only.					

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) <u>HRP</u>

Recommended Negative Controls

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M433035:240917'

Printed on 17 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint