

Datasheet: VMA00161KT

Description:	EPN2 ANTIBODY WITH CONTROL LYSATE		
Specificity:	EPN2		
Format:	Purified		
<b>Product Type:</b>	PrecisionAb Monoclonal		
Clone:	OTI1H3		
Isotype:	IgG1		
Quantity:	2 Westerns		

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

External Database Links	UniProt:
Immunogen	Full length recombinant human EPN2 (NP_055779) produced in HEK293T cells
	50% Glycerol
Stabilisers	1% Bovine Serum Albumin
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )
Buffer Solution	Phosphate buffered saline
Preparation	20μl Mouse monoclonal antibody purified by affinity chromatography from ascites.
Product Form	Purified IgG - liquid
Target Species	Human

O95208 Related reagents

## **Entrez Gene:**

22905 EPN2 Related reagents

Synonyms	KIAA1065
Specificity	<b>Mouse anti Human EPN2 antibody</b> recognizes EPN2, also known as EPS-15-interacting protein 2, Eps15 binding protein and epsin-2.
	The EPN2 gene encodes a protein which interacts with clathrin and adaptor-related protein complex 2, alpha 1 subunit. The protein is found in a brain-derived clathrin-coated vesicle fraction and localizes to the peri-Golgi region and the cell periphery. The protein is thought to be involved in clathrin-mediated endocytosis. Alternate splicing of EPN2 results in multiple transcript variants encoding different isoforms (provided by RefSeq, Jul 2008).
	Mouse anti Human EPN2 antibody detects a band of 68 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti EPN2 detects a band of approximately 68 kDa in HEK293 cell lysates.
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HEK293 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 20μl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

# **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351074:190315'

#### Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint