

Datasheet: VMA00164

BATCH NUMBER 240615

Description:	MOUSE ANTI CALPAIN-2
Specificity:	CALPAIN-2
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI3G1
Isotype:	IgG2a
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatography from ascites.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 50% Glycerol
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml

Immunogen Full length recombinant human calpain-2 (NP_001739) produced in HEK293T cells

External Database

Links

UniProt:

[P17655](#) [Related reagents](#)

Entrez Gene:

[824](#) CAPN2 [Related reagents](#)

Synonyms

CANPL2

Specificity

Mouse anti Human calpain-2 antibody recognizes calpain-2, also known as CANP 2, M-calpain, calcium-activated neutral proteinase 2, large [catalytic] subunit, calpain 2, large subunit, calpain M-type, calpain large polypeptide L2, calpain, large polypeptide L2, calpain-2 catalytic subunit and calpain-2 large subunit millimolar-calpain.

The calpains, calcium-activated neutral proteases, are nonlysosomal, intracellular cysteine proteases. The mammalian calpains include ubiquitous, stomach-specific, and muscle-specific proteins. The ubiquitous enzymes consist of heterodimers with distinct large, catalytic subunits associated with a common small, regulatory subunit. The CAPN2 gene encodes calpain-2. Multiple heterogeneous transcriptional start sites in the 5' UTR have been reported. Two transcript variants encoding different isoforms have been found for CAPN2 (provided by RefSeq, Mar 2009).

Mouse anti Human calpain-2 antibody detects a band of 80 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti calpain-2 detects a band of approximately 80 kDa in K562 cell lysates.

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10048 available at:
Antibody (10048): <https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

North & South America

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M375818:210112'

Printed on 01 Mar 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)