

## Datasheet: VMA00171KT

<b>Description:</b>	CYTOCHROME P450 2B6 ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	CYTOCHROME P450 2B6
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Monoclonal
<b>Clone:</b>	OTI3D5
<b>Isotype:</b>	IgG2a
<b>Quantity:</b>	2 Westerns

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Mouse, Rat

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid

### Preparation

20µl Mouse monoclonal antibody purified by affinity chromatography from ascites.

### Buffer Solution

Phosphate buffered saline

### Preservative Stabilisers

0.09% Sodium Azide (NaN<sub>3</sub>)  
1% Bovine Serum Albumin

50% Glycerol

---

**Immunogen** Full length recombinant human CYP2B6 (NP\_000758) produced in HEK293T cells

---

**External Database Links**

**UniProt:**

[P20813](#)    [Related reagents](#)

**Entrez Gene:**

[1555](#) CYP2B6    [Related reagents](#)

---

**Specificity**

**Mouse anti Human cytochrome P450 2B6 antibody** recognizes cytochrome P450 2B6, also known as 1,4-cineole 2-exo-monooxygenase, cytochrome P450 IIB1, cytochrome P450, subfamily IIB (phenobarbital-inducible) and polypeptide 6.

Encoded by the CYP2B6 gene, cytochrome P450 2B6 is a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by phenobarbital. The enzyme is known to metabolize some xenobiotics, such as the anti-cancer drugs cyclophosphamide and ifosfamide. Transcript variants for CYP2B6 have been described; however, it has not been resolved whether these transcripts are in fact produced by CYP2B6 or by a closely related pseudogene, CYP2B7. Both the gene and the pseudogene are located in the middle of a CYP2A pseudogene found in a large cluster of cytochrome P450 genes from the CYP2A, CYP2B and CYP2F subfamilies on chromosome 19q (provided by RefSeq, Jul 2008).

Mouse anti Human cytochrome P450 2B6 antibody detects a band of 56 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

---

**Western Blotting** Anti cytochrome P450 2B6 detects a band of approximately 56 kDa in Jurkat cell lysates.

---

**Instructions For Use** Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

---

**Lysate Composition** 400µg Jurkat lysate lyophilized in RIPA buffer.

---

**Lysate Reconstitution** - If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.  
- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.  
Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

---

**Storage** Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

---

**Guarantee** As supplied, 12 months from date of despatch.

---

**Acknowledgements** PrecisionAb™ is a trademark of Bio-Rad Laboratories.

---

**Health And Safety Information** Material Safety Datasheet documentation #10048 #10561 available at:  
Antibody (10048): <https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf>  
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

### Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

From March 15, 2021, we will no longer supply printed datasheets with our products.

Look out for updates on how to access your digital version at [bio-rad-antibodies.com](http://bio-rad-antibodies.com)

'M351003:190315'

**Printed on 10 Feb 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)