

Datasheet: VMA00183

Description:	MOUSE ANTI TMS1
Specificity:	TMS1
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI1A2
Isotype:	IgG1
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatography from ascites.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 50% Glycerol
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml.
Immunogen	Full length recombinant human TMS1 protein produced in <i>E. coli</i>

**External Database
Links**

UniProt:

[Q9ULZ3](#) [Related reagents](#)

Entrez Gene:

[29108](#) PYCARD [Related reagents](#)

Synonyms

ASC, CARD5, TMS1

Specificity

Mouse anti Human TMS1 antibody, clone OT11A2 recognizes target of methylation-induced silencing 1 (TMS1), also known as apoptosis-associated speck-like protein containing a CARD and caspase recruitment domain-containing protein 5.

The TMS1 (PYCARD) gene encodes TMS1, an adaptor protein that is composed of two protein-protein interaction domains: a N-terminal PYRIN-PAAD-DAPIN domain (PYD) and a C-terminal caspase-recruitment domain (CARD). The PYD and CARD domains are members of the six-helix bundle death domain-fold superfamily that mediates assembly of large signaling complexes in the inflammatory and apoptotic signaling pathways via the activation of caspase. In normal cells, this protein is localized to the cytoplasm; however, in cells undergoing apoptosis, it forms ball-like aggregates near the nuclear periphery. Two transcript variants encoding different isoforms have been found for PYCARD (provided by RefSeq, Jul 2008).

Mouse anti Human TMS1 antibody, clone OT11A2 detects a band of 22 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti TMS1 detects a band of approximately 22 kDa in THP-1 cell lysates.

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch.

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

**Health And Safety
Information**

Material Safety Datasheet documentation #10048 available at:
<https://www.bio-rad-antibodies.com/SDS/VMA00183>
Antibody (10048)

Regulatory

For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

To

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

find a

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M433038:240917'

Printed on 17 Sep 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)