

Datasheet: VMA00184KT

Description:	TCF12 ANTIBODY WITH CONTROL LYSATE
Specificity:	TCF12
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI4D6
Isotype:	IgG2b
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography from ascites.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 50% Glycerol
Immunogen	Recombinant protein corresponding to amino acids 1-250 of human TCF12 (NP_996919) produced in <i>E. coli</i>
External Database	UniProt:

Links[Q99081](#)[Related reagents](#)**Entrez Gene:**[6938](#)

TCF12

[Related reagents](#)**Synonyms**

BHLHB20, HEB, HTF4

Specificity

Mouse anti Human TCF12 antibody recognizes TCF12, also known as DNA-binding protein HTF4, E-box-binding protein, class B basic helix-loop-helix protein 20, helix-loop-helix transcription factor 4 and transcription factor HTF-4.

The protein encoded by the TCF12 gene is a member of the basic helix-loop-helix (bHLH) E-protein family that recognizes the consensus binding site (E-box) CANNTG. This encoded protein is expressed in many tissues, among them skeletal muscle, thymus, B- and T-cells, and may participate in regulating lineage-specific gene expression through the formation of heterodimers with other bHLH E-proteins. Several alternatively spliced transcript variants of TCF12 have been described, but the full-length nature of some of these variants has not been determined (provided by RefSeq, Jul 2008).

Mouse anti Human TCF12 antibody detects a band of 85 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti TCF12 detects a band of approximately 85 kDa in Jurkat cell lysates.

Instructions For Use

Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition

400µg Jurkat lysate lyophilized in RIPA buffer.

Lysate Reconstitution

- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.
Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee

As supplied, 12 months from date of despatch.

Acknowledgements

PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10048 #10561 available at:
Antibody (10048): <https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf>
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M351556:190318'

Printed on 10 Feb 2021
