

Datasheet: VMA00199KT

Description:	S100A9 ANTIBODY WITH CONTROL LYSATE
Specificity:	S100A9
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI10D5
Isotype:	IgG2a
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

External Database Links	UniProt:
Immunogen	Full length recombinant human S100A9 (NP_002956) produced in SF9 cells
	50% Glycerol
Stabilisers	1% Bovine Serum Albumin
Preservative	0.09% Sodium Azide (NaN ₃)
Buffer Solution	Phosphate buffered saline
Preparation	20μl Mouse monoclonal antibody purified by affinity chromatography from ascites.
Product Form	Purified IgG - liquid
Target Species	Human

P06702 Related reagents

Entrez Gene:

6280 S100A9 Related reagents

Synonyms	CAGB, CFAG, MRP14
Specificity	Mouse anti Human S100A9 antibody recognizes S100A9, also known as MRP-14, S100 calcium-binding protein A9 (calgranulin B), calgranulin B, calgranulin-B, calprotectin L1H subunit, leukocyte L1 complex heavy chain and migration inhibitory factor-related protein 14.
	The protein encoded by the S100A9 gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and altered expression of this protein is associated with the disease cystic fibrosis (provided by RefSeq, Jul 2008).
	Mouse anti Human S100A9 antibody detects a band of 13 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti S100A9 detects a band of approximately 13 kDa in MCF7 cell lysates.
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg MCF7 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H ₂ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South Tel: +1 800 265 7376 America

Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351687:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint