

Datasheet: VMA00218 **BATCH NUMBER 061015**

Description:	MOUSE ANTI GLUCOCORTICOID RECEPTOR
Specificity:	GLUCOCORTICOID RECEPTOR
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI2C4
Isotype:	lgG2b
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .								
		Yes	No	Not Determined	Suggested Dilution				
	Western Blotting	-			1/1000				
	The PrecisionAb label criteria within Bio-Rad how we validate our Pa use in a particular techn Further optimization ma	's ongoin recisionA ique this c	g antibo . b range . does not r	dy validation program Where this product has necessarily exclude its	ame. Click <u>here</u> to learn s not been tested for				
Target Species	Human								
Product Form	Purified IgG - liquid								
Preparation	Mouse monoclonal antib	oody purifi	ed by affir	nity chromatography fro	om ascites				
Buffer Solution	Phosphate buffered sali	ne							
Preservative Stabilisers	0.09% Sodium Azide (N 1% Bovine Serum Albur 50% Glycerol	•							
Approx. Protein Concentrations	IgG concentration 0.5 m	ıg/ml							

Immunogen	Recombinant protein corresponding to amino acids 1-265 of human glucocorticoid receptor produced in <i>E. coli</i>				
External Database Links	UniProt: P04150 Related reagents Entrez Gene: 2908 NR3C1 Related reagents				
Synonyms	GRL				
Specificity	Mouse anti Human glucocorticoid receptor antibody recognizes the glucocorticoid receptor, also known as glucocorticoid nuclear receptor variant 1. Encoded by the NR3C1 gene, the glucocorticoid receptor can function both as a transcription factor that binds to glucocorticoid response elements in the promoters of glucocorticoid responsive genes to activate their transcription, and as a regulator of other transcription factors. This receptor is typically found in the cytoplasm, but upon ligand binding, is transported into the nucleus. It is involved in inflammatory responses, cellular proliferation, and differentiation in target tissues. Mutations in NR3C1 are associated with generalized glucocorticoid resistance. Alternative splicing of NR3C1 results in transcript variants encoding either the same or different isoforms. Additional isoforms resulting from the use of alternate in-frame translation initiation sites have also been described, and shown to be functional, displaying diverse cytoplasm-to-nucleus trafficking patterns and distinct transcriptional activities (Lu & Cidlowski 2005).				
Western Blotting	Anti glucocorticoid receptor detects a band of approximately 94 kDa in HeLa cell lysates				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/VMA00218 Antibody (10048)				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-ra	To ^{d.} ფეუკე		
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M374054:201017'								

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint