

Datasheet: VMA00226KT

| Description: | C14orf166 ANTIBODY WITH CONTROL LYSATE |
|---------------|----------------------------------------|
| Specificity: | C14orf166 |
| Format: | Purified |
| Product Type: | PrecisionAb Monoclonal |
| Clone: | OTI2A4 |
| lsotype: | lgG1 |
| Quantity: | 2 Westerns |
| | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | | | |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|------------------------------------------------------|-------------------------------------------|--|--|
| | | Yes | No | Not Determined | Suggested Dilution | | |
| | Western Blotting | - | | | 1/1000 | | |
| | PrecisionAb antibodies <u>application.</u> The antibodies product has not been tes exclude its use in such p sample type. | dy has bee sted for us | en validat e in a pai | ed at the suggested dil rticular technique this d | ution. Where this loes not necessarily | | |
| Target Species | Human | | | | | | |
| Species Cross Reactivity | Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | | | |
| Product Form | Purified IgG - liquid | | | | | | |
| Preparation | 20µl Mouse monoclonal | antibody p | ourified by | y affinity chromatograp | hy from ascites | | |
| Buffer Solution | Phosphate buffered salir | ie | | | | | |
| Preservative Stabilisers | 0.09% Sodium Azide (Na 1% Bovine Serum Albun | 0, | | | | | |

| | 50% Glycerol |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immunogen | Recombinant human C14orf166 (NP_057123) produced in <i>E. coli</i> |
| External Database Links | UniProt: <u>Q9Y224</u> <u>Related reagents</u> |
| | Entrez Gene: <u>51637</u> C14orf166 <u>Related reagents</u> |
| Specificity | Mouse anti Human C14orf166 antibody recognizes the UPF0568 protein C14orf166, also known as CLE7 homolog, RLL motif containing 1 and UPF0568 protein C14orf166. |
| | Mouse anti Human C14orf166 antibody detects a band of 28 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. |
| Western Blotting | Anti C14orf166 detects a band of approximately 28 kDa in HEK293 cell lysates |
| Instructions For Use | Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page. |
| Lysate Composition | 400µg HEK293 lysate lyophilized in RIPA buffer. |
| Lysate Reconstitution | If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. |
| Storage | Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. |
| | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage. |
| Guarantee | As supplied, 12 months from date of despatch. |
| Acknowledgements | PrecisionAb™ is a trademark of Bio-Rad Laboratories. |
| Health And Safety Information | Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u> |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-ra | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-ra | Europe ad.com | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com | | | | |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------|--|--|--|--|
| From March 15, 2021, we will no longer supply printed datasheets with our products. | | | | | | | | | |

Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M350929:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint