

Datasheet: VMA00241

Description:	MOUSE ANTI CD324
Specificity:	CD324
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Isotype:	lgG1
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	-			1/1000			
	The PrecisionAb lab	el is reserve	ed for ant	ibodies that meet the	e defined performance			
	how we validate our	PrecisionA hnique this d	b range. \ loes not n	Where this product has ecessarily exclude its	me. Click <u>here</u> to learn s not been tested for use in such procedures.			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	Mouse monoclonal antibody prepared by affinity chromatography on Protein G from ascites.							
Buffer Solution	Phosphate buffered s	aline.						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃).							
Immunogen	Purified recombinant	fragment of h	numan CE	0324 expressed in <i>E. c</i>	oli			
External Database Links	UniProt: <u>P12830</u> <u>Relate</u> Entrez Gene:	ed reagents						

	999 CDH1 Related reagents				
Synonyms	CDHE, UVO				
Specificity	Mouse anti Human CD324 antibody recognizes the CD324 antigen, also known as cadherin-1, CAM 120/80, E-cadherin, calcium-dependent adhesion protein, epithelial, cell-CAM 120/80, epithelial cadherin and uvomorulin.				
	Encoded by the CDH1 gene, CD324 is a classical cadherin from the cadherin superfamily. CD324 is a calcium dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a transmembrane region and a highly conserved cytoplasmic tail. Mutations in CDH1 are correlated with gastric, breast, colorectal, thyroid and ovarian cancer. Loss of function is thought to contribute to progression in cancer by increasing proliferation, invasion, and/or metastasis. The ectodomain of this protein mediates bacterial adhesion to mammalian cells and the cytoplasmic domain is required for internalization. Identified transcript variants arise from mutation at consensus splice sites (provided by RefSeq, Jul 2008).				
	extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti CD324 detects a band of approximately 135 kDa in A431 cell lysates.				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch.				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00241 Antibody (10040)				
Regulatory	For research purposes only.				

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M397776:220620'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint