

Datasheet: VMA00272KT

Description:	RPN1 ANTIBODY WITH CONTROL LYSATE
Specificity:	RPN1
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI5B1
Isotype:	IgG1
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography from ascit	tes
Buffer Solution	Phosphate buffered saline	
Preservative	0.09% Sodium Azide (NaN ₃)	
Stabilisers	1% Bovine Serum Albumin	
	50% Glycerol	
Immunogen	Full length recombinant human RPN1 (NP_002941) produced in HEK293T cell	ls
External Database Links	UniProt:	

P04843 Related reagents

Entrez Gene:

6184 RPN1 Related reagents

Specificity

Mouse anti Human RPN1 antibody recognizes ribophorin-1, also known as dolichyldiphosphooligosaccharide--protein glycosyltransferase subunit 1, dolichyldiphosphooligosaccharide--protein glycosyltransferase 67 kDa subunit, dolichyldiphosphooligosaccharide--protein glycosyltransferase subunit 1, oligosaccharyltransferase 1 homolog and oligosaccharyltransferase complex subunit (non-catalytic).

Encoded by the RPN1 gene, ribophorin-1encodes is a type I integral membrane protein found only in the rough endoplasmic reticulum. The encoded protein is part of an N-oligosaccharyl transferase complex that links high mannose oligosaccharides to asparagine residues found in the Asn-X-Ser/Thr consensus motif of nascent polypeptide chains. This protein forms part of the regulatory subunit of the 26S proteasome and may mediate binding of ubiquitin-like domains to this proteasome (provided by RefSeg, Jul 2008).

Mouse anti Human RPN1 antibody detects a band of 69 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti RPN1 detects a band of approximately 69 kDa in K562 cell lysates

Instructions For Use

Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition

400µg K562 lysate lyophilized in RIPA buffer.

- Lysate Reconstitution If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
 - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee

As supplied, 12 months from date of despatch.

Acknowledgements

PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351569:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint