

Datasheet: VMA00312

Description:	MOUSE ANTI EIF2AK2	
Specificity:	EIF2AK2	
Format:	Purified	
Product Type:	PrecisionAb Monoclonal	
Clone:	1441CT628.33.40	
Isotype:	lgG1	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Learn about how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Mouse monoclonal antibody prepared by affinity chromatograp ascites.	ohy on Protein G from
Buffer Solution	Phosphate buffered saline.	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃).	
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml.	
Immunogen	Recombinant EIF2AK2	

External Database Links

UniProt:

P19525 Related reagents

Entrez Gene:

5610 EIF2AK2 Related reagents

Synonyms

PKR, PRKR

Specificity

Mouse anti Human EIF2AK2 antibody recognizes the interferon-induced, double-stranded RNA-activated protein kinase, also known as P1/eIF-2A protein kinase, eIF-2A protein kinase 2, interferon-induced, interferon-inducible eIF2alpha kinase, p68 kinase, protein kinase, interferon-inducible double stranded RNA dependent, protein phosphatase 1, regulatory subunit 83 and tyrosine-protein kinase EIF2AK2.

Encoded by the EIF2AK2 gene, interferon-induced, double-stranded RNA-activated protein kinase is a serine/threonine protein kinase that is activated by autophosphorylation after binding to dsRNA. The activated form of the encoded protein can phosphorylate translation initiation factor EIF2S1, which in turn inhibits protein synthesis. This protein is also activated by manganese ions and heparin. Three transcript variants encoding two different isoforms have been found for EIF2AK2 (provided by RefSeq, Oct 2011).

Mouse anti Human EIF2AK2 antibody detects a band of 74 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti EIF2AK2 detects a band of approximately 74 kDa in HEK293 cell lysates.
Storage	This product is shipped at ambient temperature. Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety	Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/VMA00312

For research purposes only.

Related Products

Information

Regulatory

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

Product inquiries: www.bio-rad-antibodies.com/technical-support

Printed on 09 Jul 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint