

Datasheet: VMA00312KT

Description:	EIF2AK2 ANTIBODY WITH CONTROL LYSATE				
Specificity:	EIF2AK2				
Format:	Purified				
Product Type:	PrecisionAb [™] Monoclonal				
Isotype:	lgG1				
Quantity:	2 Westerns				

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human				
Product Form	Purified IgG - liquid				
Preparation	20µl Mouse monoclonal antibody prepared by affinity chromatography on Protein G from ascites				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)				
Immunogen	Recombinant EIF2AK2				
External Database Links	UniProt: <u>P19525</u> <u>Related reagents</u> Entrez Gene: <u>5610</u> EIF2AK2 <u>Related reagents</u>				
Synonyms	PKR, PRKR				
Specificity	Mouse anti Human EIF2AK2 antibody recognizes the interferon-induced, double-stranded RNA-activated protein kinase, also known as P1/eIF-2A protein kinase, eIF-2A protein kinase 2, interferon-induced, interferon-inducible eIF2alpha kinase, p68 kinase, protein kinase, interferon-				

	inducible double stranded RNA dependent, protein phosphatase 1, regulatory subunit 83 and tyrosine-protein kinase EIF2AK2.				
	Encoded by the EIF2AK2 gene, interferon-induced, double-stranded RNA-activated protein kinase is a serine/threonine protein kinase that is activated by autophosphorylation after binding to dsRNA. The activated form of the encoded protein can phosphorylate translation initiation factor EIF2S1, which in turn inhibits protein synthesis. This protein is also activated by manganese ions and heparin. Three transcript variants encoding two different isoforms have been found for EIF2AK2 (provided by RefSeq, Oct 2011).				
	Mouse anti Human EIF2AK2 antibody detects a band of 74 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti EIF2AK2 detects a band of approximately 74 kDa in HEK293 cell lysates				
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.				
Lysate Composition	400µg HEK293 lysate lyophilized in RIPA buffer.				
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. 				
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.				
Shelf Life	As supplied, 12 months from date of despatch.				
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50

'M336882:181214'

Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint