

Datasheet: VMA00318KT

Description:	DAXX ANTIBODY WITH CONTROL LYSATE		
Specificity:	DAXX		
Format:	Purified		
<b>Product Type:</b>	PrecisionAb Monoclonal		
Isotype:	IgG1		
Quantity:	2 Westerns		

#### **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	20µl Mouse monoclonal antibody prepared by affinity chromat ascites	ography on Protein G from
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )	
Immunogen	Purified recombinant fragment of human DAXX expressed in I	E. coli
External Database Links	UniProt:	

Related reagents

Q9UER7

## **Entrez Gene:**

1616 DAXX Related reagents

Synonyms	BING2, DAP6
Specificity	Mouse anti Human DAXX antibody recognizes the death domain-associated protein 6, also known as CENP-C binding protein, ETS1-associated protein 1, Fas-binding protein, death-associated protein 6 and fas death domain-associated protein.
	Encoded by the DAXX gene, death domain-associated protein 6 is a multifunctional protein that resides in multiple locations in the nucleus and in the cytoplasm. It interacts with a wide variety of proteins, such as apoptosis antigen Fas, centromere protein C, and transcription factor erythroblastosis virus E26 oncogene homolog 1. In the nucleus, the encoded protein functions as a potent transcription repressor that binds to sumoylated transcription factors. Its repression can be relieved by the sequestration of this protein into promyelocytic leukemia nuclear bodies or nucleoli. This protein also associates with centromeres in G2 phase. In the cytoplasm, the encoded protein may function to regulate apoptosis. The subcellular localization and function of this protein are modulated by post-translational modifications, including sumoylation, phosphorylation and polyubiquitination. Alternative splicing results in multiple transcript variants (provided by RefSeq, Nov 2008).
	Mouse anti Human DAXX antibody detects a band of 110 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti DAXX detects a band of approximately 110 kDa in K562 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg K562 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 $\mu$ l DI H <sub>2</sub> O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 10 $\mu$ l 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 $\mu$ l DI H $_2$ O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 20 $\mu$ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.

**Health And Safety** Information

Material Safety Datasheet documentation #10040 #10561 available at:

Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf

Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Regulatory

For research purposes only

# Related Products

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

## **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Email: antibody\_sales\_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351020:190315'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint