

## Datasheet: VMA00322KT

<b>Description:</b>	FILAMIN-A ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	FILAMIN-A
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Monoclonal
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	2 Westerns

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

#### Target Species

Human

#### Species Cross Reactivity

Reacts with: Mouse

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

#### Product Form

Purified IgG - liquid

#### Preparation

20µl Mouse monoclonal antibody prepared by affinity chromatography on Protein G from ascites

#### Buffer Solution

Phosphate buffered saline

#### Preservative Stabilisers

0.09% Sodium Azide (NaN<sub>3</sub>)

<b>Immunogen</b>	Purified His-tagged filamin-A
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P21333</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">2316</a>    FLNA    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	FLN, FLN1
<b>Specificity</b>	<p><b>Mouse anti Human filamin-A antibody</b> recognizes filamin-A, also known as actin binding protein 280, alpha-filamin, endothelial actin-binding protein, filamin-1 and non-muscle filamin.</p> <p>Filamin-A, encoded by FLNA gene, is an actin-binding protein that crosslinks actin filaments and links actin filaments to membrane glycoproteins. This protein is involved in remodeling the cytoskeleton to effect changes in cell shape and migration. Filamin-A interacts with integrins, transmembrane receptor complexes, and second messengers. Defects in the FLNA gene are a cause of several syndromes, including periventricular nodular heterotopias (PVNH1, PVNH4), otopalatodigital syndromes (OPD1, OPD2), frontometaphyseal dysplasia (FMD), Melnick-Needles syndrome (MNS), and X-linked congenital idiopathic intestinal pseudoobstruction (CIIPX). Two transcript variants encoding different isoforms have been found for FLNA (provided by RefSeq, Mar 2009).</p> <p>Mouse anti Human filamin-A antibody detects a band of 280 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
<b>Western Blotting</b>	Anti filamin-A detects a band of approximately 280 kDa in HeLa cell lysates
<b>Instructions For Use</b>	Please refer to the <a href="#">PrecisionAb western blotting protocol</a> . For additional information on secondary antibody dilution and exposure time see product web page.
<b>Lysate Composition</b>	400µg HeLa lysate lyophilized in RIPA buffer.
<b>Lysate Reconstitution</b>	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
<b>Storage</b>	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
<b>Guarantee</b>	As supplied, 12 months from date of despatch.

**Acknowledgements** PrecisionAb™ is a trademark of Bio-Rad Laboratories.

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 #10561 available at:  
Antibody (10040): <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>  
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

From March 15, 2021, we will no longer supply printed datasheets with our products.  
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](http://bio-rad-antibodies.com)

'M351088:190315'

**Printed on 09 Feb 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)