

Datasheet: VMA00323KT

Description:	MAPK9 / JNK2 ANTIBODY WITH CONTROL LYSATE
Specificity:	MAPK9 / JNK2
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Clone:	OTI1A1
Isotype:	lgG1
Quantity:	2 Westerns

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.** 

Target Species	Human		
Species Cross Reactivity	Reacts with: Mouse, Rat  N.B. Antibody reactivity and working conditions may vary between species.		
Product Form	Purified IgG - liquid		
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography from ascites		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 50% Glycerol		
Immunogen	Full length recombinant human MAPK9 (NP_620707) produced in HEK293T cells		
External Database Links	UniProt: P45984 Related reagents Entrez Gene:		
	5601 MAPK9 Related reagents		

Synonyms	JNK2, PRKM9
Specificity	Mouse anti Human MAPK9 / JNK2 antibody recognizes the mitogen-activated protein kinase 9, also known as Jun kinase, MAP kinase 9, c-Jun N-terminal kinase 2, c-Jun kinase 2, stress-activated protein kinase 1a and stress-activated protein kinase JNK2.
	Encoded by the MAPK9 (JNK2) gene, mitogen-activated protein kinase 9 is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase targets specific transcription factors, and thus mediates immediate-early gene expression in response to various cell stimuli. It is most closely related to MAPK8, both of which are involved in UV radiation induced apoptosis, thought to be related to the cytochrome c-mediated cell death pathway. MAPK9 and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiquitination of tumor suppressor p53, and thus it increases the stability of p53 in nonstressed cells. Studies of MAPK9's mouse counterpart suggest a key role in T-cell differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported (provided by RefSeq, Sep 2008).
	Mouse anti Human MAPK9 antibody detects a band of 54 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti MAPK9 / JNK2 detects a band of approximately 54 kDa in HEK293 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HEK293 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190μl DI H <sub>2</sub> O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 $\mu$ l DI H <sub>2</sub> O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 20 $\mu$ l BME.
	Heat at 95 <b>¢</b> C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Shelf Life	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb� is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>

# **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

### **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Fax: +1 919 878 3751 Email: antibody\_sales\_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

'M337609:181217'

#### Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint