

Datasheet: VMA00325KT

Description:	Bcl-6 ANTIBODY WITH CONTROL LYSATE
Specificity:	Bcl-6
Format:	Purified
<b>Product Type:</b>	PrecisionAb Monoclonal
Clone:	OTI20A3
Isotype:	IgG1
Quantity:	2 Westerns

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20μl Mouse monoclonal antibody purified by affinity chromatography from ascites
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin
	50% Glycerol
Immunogen	Human recombinant protein fragment corresponding to amino acids 1-300 of human Bcl-6 (NP_001697) produced in <i>E. coli</i>
External Database	

**UniProt:** 

Links	P41182 Related reagents
	Entrez Gene: 604 BCL6 Related reagents
Synonyms	BCL5, LAZ3, ZBTB27, ZNF51
Specificity	<b>Mouse anti Human BcI-6 antibody</b> recognizes BcI-6, also known as B-cell lymphoma 6 protein, B-cell lymphoma 5 protein, B-cell lymphoma 6 protein transcript, cys-his2 zinc finger transcription factor, lymphoma-associated zinc finger gene on chromosome 3, protein LAZ-3, zinc finger and BTB domain-containing protein 27, zinc finger protein 51 and zinc finger transcription factor BCL6S.
	Encoded by BCL6 gene, the B-cell lymphoma 6 protein is a zinc finger transcription factor and contains an N-terminal POZ domain. This protein acts as a sequence-specific repressor of transcription, and has been shown to modulate the transcription of START-dependent IL-4 responses of B cells. This protein can interact with a variety of POZ-containing proteins that function as transcription corepressors. BCL6 is found to be frequently translocated and hypermutated in diffuse large-cell lymphoma (DLCL), and may be involved in the pathogenesis of DLCL. Alternatively spliced transcript variants encoding different protein isoforms have been found for BCL6 (provided by RefSeq, Sep 2008).  Mouse anti Human Bcl-6 protein antibody detects a band of 98 kDa. The antibody has
	been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti Bcl-6 detects a band of approximately 98 kDa in Raji cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg Raji lysate lyophilized in RIPA buffer.
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 20μl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb</li> </ul>
	formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for
	up to 3 months or at -80°C for longer term storage.
Guarantee	up to 3 months or at -80°C for longer term storage.  As supplied, 12 months from date of despatch.

**Health And Safety** Information

Material Safety Datasheet documentation #10048 #10561 available at:

Antibody (10048): https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf

Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Regulatory

For research purposes only

# Related Products

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

#### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M350909:190315'

#### Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint