

Datasheet: VMA00334KT

Description:	AKR1C1 ANTIBODY WITH CONTROL LYSATE		
Specificity:	AKR1C1		
Format:	Purified		
Product Type:	PrecisionAb™ Monoclonal		
Isotype:	lgG1		
Quantity:	2 Westerns		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

tissue

Target Species	Human			
Product Form	Purified IgG - liquid			
Preparation	20µl Mouse monoclonal antibody prepared by affinity chromatography on Protein G from to			
Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)			
Immunogen	Recombinant human AKR1C1			
External Database Links	UniProt: Q04828 Related reagents Entrez Gene: 1645 AKR1C1 Related reagents			
Synonyms	DDH, DDH1			

Specificity

Mouse anti Human AKR1C1 antibody detects the aldo-keto reductase family 1 member C1, also known as 20-alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), chlordecone reductase

homolog HAKRC and high-affinity hepatic bile acid-binding protein (HBAB). Encoded by the AKR1C1 gene, aldo-keto reductase family 1 member C1 is a member of the aldo/keto reductase superfamily, which consists of more than 40 known enzymes and proteins. These enzymes catalyze the conversion of aldehydes and ketones to their corresponding alcohols by utilizing NADH and/or NADPH as cofactors. The enzymes display overlapping but distinct substrate specificity. Aldo-keto reductase family 1 member C1 catalyzes the reaction of progesterone to the inactive form 20-alpha-hydroxy-progesterone. In the liver and intestine, it may have a role in the transport of bile, monitoring the intrahepatic bile acid concentration.

Mouse anti Human AKR1C1 antibody detects a band of 36 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti AKR1C1 detects a band of approximately 36 kDa in A549 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg A549 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 10 μ l 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 15 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint