

Datasheet: VMA00336

BATCH NUMBER 151215

Description:	MOUSE ANTI HEAT SHOCK PROTEIN 27
Specificity:	HEAT SHOCK PROTEIN 27
Format:	Purified
<b>Product Type:</b>	PrecisionAb Monoclonal
Clone:	CPTC9
Isotype:	lgG1
Quantity:	100 μΙ

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <a href="here">here</a> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline

Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Recombinant protein corresponding to amino acids 97-112 of human heat shock protein 27
External Database Links	UniProt: P04792 Related reagents  Entrez Gene: 3315 HSPB1 Related reagents
Synonyms	HSP27, HSP28
Specificity	Mouse anti Human heat shock protein 27 antibody recognizes heat shock protein 27, also known as heat shock protein beta-1, 28 kDa heat shock protein, HSP 27, epididymis secretory protein Li 102, estrogen-regulated 24 kDa protein, heat shock 27 kDa protein, heat shock 27kD protein 1, heat shock protein beta-1 and stress-responsive protein 27.  Encoded by HSPB1 gene, heat shock protein 27 is induced by environmental stress and developmental changes. The encoded protein is involved in stress resistance and actin
	organization and translocates from the cytoplasm to the nucleus upon stress induction.  Defects in HSPB1 are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN) (provided by RefSeq, Oct 2008).  Mouse anti Human heat shock protein 27 antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	organization and translocates from the cytoplasm to the nucleus upon stress induction.  Defects in HSPB1 are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN) (provided by RefSeq, Oct 2008).  Mouse anti Human heat shock protein 27 antibody detects a band of 27 kDa. The
Western Blotting Storage	organization and translocates from the cytoplasm to the nucleus upon stress induction. Defects in HSPB1 are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN) (provided by RefSeq, Oct 2008).  Mouse anti Human heat shock protein 27 antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
	organization and translocates from the cytoplasm to the nucleus upon stress induction. Defects in HSPB1 are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN) (provided by RefSeq, Oct 2008).  Mouse anti Human heat shock protein 27 antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  Anti heat shock protein 27 detects a band of approximately 27 kDa in K562 cell lysates
Storage	organization and translocates from the cytoplasm to the nucleus upon stress induction. Defects in HSPB1 are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN) (provided by RefSeq, Oct 2008).  Mouse anti Human heat shock protein 27 antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  Anti heat shock protein 27 detects a band of approximately 27 kDa in K562 cell lysates  Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Storage Guarantee	organization and translocates from the cytoplasm to the nucleus upon stress induction. Defects in HSPB1 are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN) (provided by RefSeq, Oct 2008).  Mouse anti Human heat shock protein 27 antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  Anti heat shock protein 27 detects a band of approximately 27 kDa in K562 cell lysates  Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

# **Related Products**

**Recommended Secondary Antibodies** 

## Goat Anti Mouse IgG (H/L) (STAR207...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M374053:201017'

### Printed on 10 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint