

Datasheet: VMA00349KT

Description:	CYSTATIN B ANTIBODY WITH CONTROL LYSATE		
Specificity:	CYSTATIN B		
Format:	Purified		
Product Type:	PrecisionAb Monoclonal		
Isotype:	lgG1		
Quantity:	2 Westerns		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	20μl Mouse monoclonal antibody prepared by affinity chromat tissue culture supernatant	ography on Protein G from
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Immunogen	Recombinant human cystatin B	
External Database Links	UniProt:	

Related reagents

P04080

Entrez Gene:

1476 CSTB Related reagents

Synonyms	CST6, STFB
Specificity	Mouse anti cystatin B antibody detects the cystatin B also known as stefin B, CPI-B and CST6. Encoded by hte CSTB gene, cystatin B reduces the activity of (inhibits) enzymes called cathepsins. Cathepsins help break down certain proteins in the lysosomes (compartments in the cell that digest and recycle materials). Diseases associated with cystatin B include epilepsy, progressive myoclonic 1a and unverricht-lundborg syndrome. Mouse anti cystatin B antibody detects a band of 37 kDa. The antibody has been
	extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti cystatin B detects a band of approximately 37 kDa in A549 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg A549 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M350822:190315'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint