

Datasheet: VMA00361KT

Description:	LIMK1 ANTIBODY WITH CONTROL LYSATE		
Specificity:	LIMK1		
Format:	Purified		
<b>Product Type:</b>	PrecisionAb Monoclonal		
Clone:	OTI6B4		
Isotype:	lgG2a		
Quantity:	2 Westerns		

#### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

External Database Links	UniProt:
Immunogen	Full length recombinant human LIMK1 (NP_002305) produced in HEK293T cells
	50% Glycerol
Stabilisers	1% Bovine Serum Albumin
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )
Buffer Solution	Phosphate buffered saline
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography from ascites
Product Form	Purified IgG - liquid
Target Species	Human

P53667 Related reagents

### **Entrez Gene:**

3984 LIMK1 Related reagents

Synonyms	LIMK
Specificity	Mouse anti Human LIMK1 antibody recognizes LIM domain kinase 1, also known as LIM motif-containing protein kinase.
	There are approximately 40 known eukaryotic LIM proteins, named after the LIM domains they contain. LIM domains are highly conserved cysteine-rich structures containing 2 zinc fingers. Although zinc fingers usually function by binding to DNA or RNA, the LIM motif probably mediates protein-protein interactions. LIM kinase 1 and LIM kinase 2 belong to a small subfamily with a unique combination of 2 N-terminal LIM motifs and a C-terminal protein kinase domain.
	LIMK1 is a serine/threonine kinase that regulates actin polymerization via phosphorylation and inactivation of the actin binding factor cofilin. This protein is ubiquitously expressed during development and plays a role in many cellular processes associated with cytoskeletal structure. This protein also stimulates axon growth and may play a role in brain development. LIMK1 hemizygosity is implicated in the impaired visuo-spatial constructive cognition of Williams syndrome. Alternative splicing results in multiple transcript variants encoding distinct isoforms (provided by RefSeq, Feb 2011).
	Mouse anti Human LIMK1 antibody detects a band of 70 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti LIMK1 detects a band of approximately 70 kDa in HeLa cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HeLa lysate lyophilized in RIPA buffer
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 20μl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch

Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
Regulatory	For research purposes only

### **Related Products**

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

## **Recommended Negative Controls**

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South Tel: +1 800 265 7376

**Worldwide** Tel: +44 (0)1865 852 700

**Europe** Tel: +49 (0) 89 8090 95 21

**America** Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351217:190315'

#### Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint