

Datasheet: VMA00363

Description:	MOUSE ANTI XPF
Specificity:	XPF
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	UMAB20
Isotype:	IgG2a
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatography from ascites.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 50% Glycerol
Immunogen	Full length recombinant human XPF (NP_005227) produced in HEK293 cells
External Database Links	UniProt: Q92889 Related reagents

Entrez Gene:[2072](#) ERCC4 [Related reagents](#)

Synonyms	ERCC11, XPF
Specificity	<p>Mouse anti Human XPF antibody, clone UMAB20 recognizes DNA repair endonuclease XPF, also known as DNA excision repair protein ERCC4, RAD1, FANCD1, DNA repair protein complementing XP-F cells , XFEPS and xeroderma pigmentosum, complementation group F.</p> <p>Encoded by the ERCC4 gene, DNA repair endonuclease XPF forms a complex with ERCC1 and is involved in the 5' incision made during nucleotide excision repair. This complex is a structure specific DNA repair endonuclease that interacts with EME1. Defects in ERCC4 are a cause of xeroderma pigmentosum complementation group F (XP-F), or xeroderma pigmentosum VI (XP6) (provided by RefSeq, Mar 2009).</p> <p>Mouse anti Human XPF antibody detects a band of 110 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
Western Blotting	Anti XPF detects a band of approximately 110 kDa in HEK293 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/VMA00363 Antibody (10048)
Regulatory	For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M398258:220622'

Printed on 13 Aug 2023

