

Datasheet: VMA00378KT

Description:	HMBS ANTIBODY WITH CONTROL LYSATE
Specificity:	HMBS
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	UMAB144
Isotype:	lgG1
Quantity:	2 Westerns

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

External Database Links	UniProt:
Immunogen	Full length recombinant human HMBS (NP_000181) produced in HEK293T cells
	50% Glycerol
Stabilisers	1% Bovine Serum Albumin
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )
Buffer Solution	Phosphate buffered saline
Preparation	20μl Mouse monoclonal antibody purified by affinity chromatography from ascites
Product Form	Purified IgG - liquid
Target Species	Human

P08397 Related reagents

## **Entrez Gene:**

3145 HMBS Related reagents

Synonyms	PBGD, UPS
Specificity	<b>Mouse anti Human HMBS antibody</b> recognizes HMBS, also known as porphobilinogen deaminase and uroporphyrinogen I synthetase.
	The HMBS gene encodes a member of the hydroxymethylbilane synthase superfamily. HMBS protein is the third enzyme of the heme biosynthetic pathway and catalyzes the head to tail condensation of four porphobilinogen molecules into the linear hydroxymethylbilane. Mutations in HMBS are associated with the autosomal dominant disease acute intermittent porphyria. Alternatively spliced transcript variants encoding different isoforms have been described (provided by RefSeq, Jul 2008).
	Mouse anti Human HMBS antibody detects a band of 39 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti HMBS detects a band of approximately 39 kDa in Raji cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg Raji lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190μl DI H <sub>2</sub> O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H <sub>2</sub> O, add 200μl 2x Laemmli Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

# **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M351173:190315'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint