

Datasheet: VMA00402

Description:	MOUSE ANTI CYTOKERATIN 8
Specificity:	CYTOKERATIN 8
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	UMAB1
Isotype:	IgG1
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatography from ascites
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 50% Glycerol
Immunogen	Recombinant protein fragment corresponding to aa 91-381 of human cytokerin 8 (NP_002264) produced in <i>E.coli</i>
External Database	UniProt:

Links

[P05787](#) [Related reagents](#)

Entrez Gene:

[3856](#) KRT8 [Related reagents](#)

Synonyms CYK8

Specificity **Mouse anti Human cytokeratin 8 antibody** recognizes cytokeratin 8, also known as keratin 8 and keratin, type II cytoskeletal 8.

The KRT8 gene is a member of the type II keratin family clustered on the long arm of chromosome 12. Type I and type II keratins heteropolymerize to form intermediate-sized filaments in the cytoplasm of epithelial cells. The product of KRT8 typically dimerizes with keratin 18 to form an intermediate filament in simple single-layered epithelial cells. This protein plays a role in maintaining cellular structural integrity and also functions in signal transduction and cellular differentiation. Mutations in KRT8 cause cryptogenic cirrhosis. Alternatively spliced transcript variants have been found for KRT8 (provided by RefSeq, Jan 2012).

Mouse anti Human cytokeratin 8 antibody detects a band of 55 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting Anti cytokeratin 8 detects a band of approximately 55 kDa in MCF7 cell lysates

Storage Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee 12 months from date of despatch

Acknowledgements PrecisionAb is a trademark of Bio-Rad Laboratories.

Health And Safety Information Material Safety Datasheet documentation #10048 available at: Antibody (10048): <https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M370164:200529'

