

Datasheet: VMA00427KT

Description:	PPM1G ANTIBODY WITH CONTROL LYSATE
Specificity:	PPM1G
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI1C12
Isotype:	IgG2a
Quantity:	2 Westerns

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	-			1/1000	
	PrecisionAb antibodies <u>application.</u> The antibodies product has not been tes exclude its use in such p sample type.	dy has bee sted for use	en validat e in a pai	ed at the suggested dil rticular technique this d	ution. Where this loes not necessarily	
Target Species	Human					
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG - liquid					
Preparation	20µl Mouse monoclonal	antibody p	ourified by	y affinity chromatograp	hy from ascites	
Buffer Solution	Phosphate buffered salir	ie				
Preservative Stabilisers	0.09% Sodium Azide (Na 1% Bovine Serum Albun	0,				

50% Glycerol Immunogen Full length recombinant human PPM1G (NP 817092) produced in HEK293T cells **External Database UniProt:** Links O15355 **Related reagents Entrez Gene:** 5496 PPM1G Related reagents **Synonyms** PPM1C Specificity Mouse anti Human PPM1G antibody recognizes the PPM1G, also known as protein phosphatase Mg2+/Mn2+ dependent 1G, PP2C gamma, PP2CG, protein phosphatase 1G (formerly 2C) and protein phosphatase 2C isoform gamma. The protein encoded by the PPM1G gene is a member of the PP2C family of Ser/Thr protein phosphatases. PP2C family members are known to be negative regulators of cell stress response pathways. This phosphatase is found to be responsible for the dephosphorylation of Pre-mRNA splicing factors, which is important for the formation of functional spliceosome. Studies of a similar gene in mice suggested a role of this phosphatase in regulating cell cycle progression (provided by RefSeq, Apr 2010). Mouse anti Human PPM1G antibody detects a band of 59 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. Western Blotting Anti PPM1G detects a band of approximately 59 kDa in NIH/3T3 cell lysates **Instructions For Use** Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page. Lysate Composition 400µg NIH/3T3 lysate lyophilized in RIPA buffer Lysate Reconstitution - If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. Storage Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage. Guarantee As supplied, 12 months from date of despatch

Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety	Material Safety Datasheet documentation #10048 #10561 available at:
Information	Antibody (10048): https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf
	Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South	Tel: +1 800 265 7376	Worldwide
America	Fax: +1 919 878 3751	
	Email: antibody_sales_us@bio-rad.	com

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351343:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint