## Datasheet: VMA00451 BATCH NUMBER 160226

| Description:  | HUMAN ANTI CYTOKERATIN 20 |
|---------------|---------------------------|
| Specificity:  | CYTOKERATIN 20            |
| Format:       | Purified                  |
| Product Type: | PrecisionAb Monoclonal    |
| Isotype:      | HuCAL Fab bivalent        |
| Quantity:     | 100 µl                    |

## **Product Details**

| Applications                | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . |  |   |   |  |  |  |  |
|-----------------------------|--|--|---|---|--|--|--|--|
|                             |  |  |   |   |  |  |  |  |
|                             | Western Blotting   | •  |   |   | 1/1000   |  |  |  |
|                             | criteria within Bio-Ra<br>how we validate our  | id's ongoin<br>PrecisionA<br>nnique this c | <b>g antibo</b><br>. <b>b range</b> .<br>does not r | <b>dy validation program</b><br>Where this product hat<br>necessarily exclude its | e defined performance<br>nme. Click <u>here</u> to learn<br>s not been tested for<br>use in such procedures. |  |  |  |
| Target Species              | Human  |  |   |   |  |  |  |  |
| Product Form                | A bivalent human recombinant Fab selected from the HuCAL® phage display library, expressed in <i>E. coli</i> . This Fab fragment is bivalent by dimerization of the bacterial alkaline phosphatase fusion protein. The antibody is tagged with a DYKDDDDK tag and a HIS-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied as a liquid.         |  |   |   |  |  |  |  |
| Preparation                 | Human recombinant monoclonal antibody purified by StrepTactin affinity chromatography from <i>E. coli</i> extracts   |  |   |   |  |  |  |  |
| Buffer Solution             | Phosphate buffered sa  | aline                                      |   |   |  |  |  |  |
| Preservative<br>Stabilisers | 0.09% Sodium Azide (   | (NaN <sub>3</sub> )                        |   |   |  |  |  |  |
| Immunogen                   | Recombinant human c  | cytokeratin 2                              | 20  |   |  |  |  |  |

| External Database<br>Links       | UniProt:<br><u>P35900</u> <u>Related reagents</u>   |  |  |  |  |
|----------------------------------|---|--|--|--|--|
|                                  | Entrez Gene:<br>54474 KRT20 Related reagents  |  |  |  |  |
| Specificity                      | Human anti Human cytokeratin 20 antibody recognizes cytokeratin 20, also known as KRT20, keratin, type I cytoskeletal 20 and keratin-20, protein IT.  |  |  |  |  |
|                                  | The protein encoded by the KRT20 gene is a member of the keratin family. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. The type I cytokeratins consist of acidic proteins which are arranged in pairs of heterotypic keratin chains. This cytokeratin is a major cellular protein of mature enterocytes and goblet cells and is specifically expressed in the gastric and intestinal mucosa. The type I cytokeratin genes are clustered in a region of chromosome 17q12-q21 (provided by RefSeq, Jul 2008).<br>Human anti Human cytokeratin 20 antibody detects a band of 44 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. |  |  |  |  |
| Western Blotting                 | Anti cytokeratin 20 detects a band of approximately 44 kDa in MCF7 cell lysates   |  |  |  |  |
| Storage                          | Store undiluted at -20°C, avoiding repeated freeze thaw cycles.   |  |  |  |  |
| Guarantee                        | 12 months from date of despatch   |  |  |  |  |
| Acknowledgements                 | Sold under license of U.S. Patents 6753136, 7785859 and 8273688 and corresponding patents. This antibody was developed by Bio-Rad, Zeppelinstr. 4, 82178 Puchheim, Germany. PrecisionAb is a trademark of Bio-Rad Laboratories. His-tag is a registered trademark of EMD Biosciences.   |  |  |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at:<br><u>https://www.bio-rad-antibodies.com/SDS/VMA00451</u><br>Antibody (10040)  |  |  |  |  |
| Regulatory                       | For research purposes only  |  |  |  |  |

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Human IgG F(ab')2 (STAR126...) HRP

| North & South | Tel: +1 800 265 7376            | Worldwide | Tel: +44 (0)1865 852 700        | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|---------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751            |           | Fax: +44 (0)1865 852 739        |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-ra | ad.com    | Email: antibody_sales_uk@bio-ra | d.com  | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M371799:200612'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint